

Dometic Wmd1050 Washing Machine Manual



File Name: Dometic Wmd1050 Washing Machine Manual.pdf

Size: 2784 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 14 May 2019, 18:48 PM

Rating: 4.6/5 from 752 votes.

Status: AVAILABLE

Last checked: 5 Minutes ago!

In order to read or download Dometic Wmd1050 Washing Machine Manual ebook, you need to create a FREE account.

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

[❑ Register a free 1 month Trial Account.](#)

[❑ Download as many books as you like \(Personal use\)](#)

[❑ Cancel the membership at any time if not satisfied.](#)

[❑ Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Dometic Wmd1050 Washing Machine Manual . To get started finding Dometic Wmd1050 Washing Machine Manual , you are right to find our website which has a comprehensive collection of manuals listed. Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

Dometic Wmd1050 Washing Machine Manual

Please upgrade your browser to improve your experience. This is a compact front loading washing machine that can handle laundry loads of up to 3 kg. Make life on the road more comfortable with easy access to your own washing machine so you always have clean clothes available. A space saving washing machine like this is the ideal solution for those people with limited space and has features and performance you would expect from a world leader in laundry appliances. This front loading washing machine is compact in design and is manufactured to comfortably handle laundry loads of up to 3 kg. Thanks to its front loading design, this compact washer can be installed under a work surface. This allows you to maximise work bench space in your kitchen or laundry. Wash clothes in hot or cold water. Washing Machine Model on label. WMD1050 Scope of delivery. Washing machine incl. Washing machine White. Washing Machine Safety information. Product description. Control panel. Before first use. Daily use. Helpful hints and tips. Washing programmes Damage to the Repairs carried out by inexperienced people Contact your local Service Centre. Always insist on genuine spare parts. Safety information However, as manufacturers, we feel it is Should the appliance be sold or transferred to another Store it at room temperature for 24 General safety To avoid this, Installation. Care should be taken in doubt, do not Serious damage can See relevant section in the user manual. If the machine is situated on a carpeted Always be sure, that there is no water If the appliance is installed in a location Any plumbing work required to install this Any electrical work required to install this Use Washing Programme Table. Avoid washing frayed or torn articles and treat stains such as paint, ink, Underwired bras must NOT be machine washed. If volatile cleaning fluids are used, care should be taken Child safety Product description. <http://www.indah-education.nl/userfiles/800xa-for-advant-master-manual.xml>

- **dometic wmd1050 washing machine manual, dometic wmd1050 washing machine manual, dometic wmd1050 washing machine manual download, dometic wmd1050 washing machine manual pdf, dometic wmd1050 washing machine manual instructions, dometic wmd1050 washing machine manual free.**

Your new appliance meets all modern requirements for effective treatment of laundry. Its new washing system allows total use of detergent and reduces water consumption so saving energy. Control panel. Door opening handle Drain hose. Electrical lead. Inlet hose Compartment for powder or liquid detergent used for main wash. If using liquid Compartment for liquid additives fabric Any fabric softener or starching additives Prewash detergent is to be added straight into the drum. Control panel. Henceforth, the programme selector dial, the spin selector dial, programme progress OPTION button. PREWASH button. ECONOMY button. SUPER RINSE button SPIN reduction selector. Programme selector dial. Table of Symbols Very short programme for lightly soiled The washing time Quick 2. By selecting this option the washing time Prewash 3. By selecting this option the machine performs a prewash cycle before the main This option is recommended for Economy 4. Only for cottons and synthetic items lightly Super Rinse 5. This appliance is designed for saving energy. If it necessary to rinse the laundry using Some additional rinses will Start Pause 6. This button allows you to start or to interrupt the selected programme. Display The light B illuminates when the machine is The light C illuminates when the machine is The light D illuminates at the end of the The light E indicates if the door can be Spin Reduction Dial. By turning the spin speed selector you can Before first use. Warning! Ensure that the electrical and water connections comply with the installation instructions. Important! Remove any material from the Pour approx. Important! We recommend you to run a Daily use. Load the laundry. Open the door by

carefully pulling the door. Make sure that no laundry stays between. There is a risk of water leakage or damage to the laundry. Measure out the detergent and the Pull out the dispenser drawer until it stops. <http://hollandseyecare.co.uk/userfiles/800t-manual.xml>

Measure out the amount of detergent required, pour it into the larger compartment. If required, pour fabric softener into the. The selector can be. On programme progress display the pilot. On position. At the end of the programme the select. Important! If you turn the programme. Select the spin speed, Rinse Hold or No. Select the spin speed, Rinse Hold option or. No Spin option by turning the spin speed. Rinse hold. By selecting this option the water of the last. When the programme. No spin. By selecting this option all the spinning. The machine will. For the maximum spin speed allowed by. Select the desired option by means of. Depending on the programme, different. These must be. If an incorrect option is selected, the corresponding indicator lamp flashes for about 2. Start the programme by pressing. To start the selected programme, press this. On programme progress display the pilot. Altering an option or a running. It is possible to change any option before. Before you make any change, you must. The programme can be changed as long as. Changing a running programme is possible only. Interrupting a programme. Press the button 6 to interrupt a programme which is running, the correspond. Press the button. Cancelling a programme. Opening the door after the programme. First set the machine to pause by pressing. After some minutes, the door can be. If you cannot open the door but it is absolutely necessary to open it you have to. After few minutes the door. After this procedure, it will be necessary to. At the end of the programme. The machine stops automatically. If at the end of a programme there is water. At the end of the cycle, turn the programme. Remove the laundry from the drum and. Leave the door open to prevent the formation of mildew and unpleasant smells. Helpful hints and tips. Sorting out the laundry. Follow the wash code symbols on each. Sort the laundry as. Temperatures. Before loading the laundry. Never wash whites and coloureds together.

New coloured items may run in the first. Make sure that no metal objects are. Button up pillowcases, close zip fasteners, Remove persistent stains before washing. Treat curtains with special care. Remove. Maximum loads. Recommended loads are indicated in the. General rules. Washing a maximum load makes the most. For heavily soiled laundry, reduce the load. Laundry weights. The following weights are indicative. The following weights are indicative. Removing stains. Stubborn stains may not be removed by. It is therefore advisable to treat them prior to washing. Blood treat fresh stains with cold water. For dried stains, soak overnight in water. Oil based paint moisten with benzine. Dried grease stains moisten with turpentine, lay the garment on a soft surface and. Rust oxalic acid dissolved in hot water or a. Mould stains treat with bleach, rinse well. Grass soap lightly and treat with bleach. Ball point pen and glue moisten with. Lipstick moisten with acetone as above, Treat any residual marks with bleach. Red wine soak in water and detergent, Ink depending on the type of ink, moisten. Tar stains first treat with stain remover, Detergents and additives. Good washing results also depend on the. Although biodegradable, detergents contain. The choice of detergent will depend on the. All commonly available washing machine. The detergent and any additives must be. Prewash detergent is to be added. Your appliance incorporates a recirculation. Follow the product manufacturer's recommendations on quantities to use and do. Degrees of water hardness. Water hardness is classed in so called. Information on hardness of the water in your area can be obtained from the relevant water supply company, or from your local authority. If the water hardness degree is medium or high we. When the degree of hardness is soft, readjust the quantity of the detergent. Washing programmes. Description of the. Type of laundry. Options. Rinses. Long spin max. 1000. Max load 3 kg. Rinses. Long spin max. 1000. Max load 3 kg. Rinses. Short spin max.

<http://www.bosport.be/newsletter/cub-cadet-operators-manuals-u0026-parts-lists>

900. Max Load 1,5 kg. Rinses. Short spin max. 700. Max Load 1,5 kg. Rinses. Short spin max. 900. Max Load 1 kg. With this programme it. Spin max. 1000 rpm. Max Load 3 kg. Options. Description of

theDraining of water. Max Load 3 kgDrain and long spin. Max. spin speed 1000Max Load 3 kg. For resetting the programme or switchingRecommended load for cotton is 2This option cannot be selected together with Economy option. Care and cleaning. Important! You must DISCONNECT theExternal cleaning. Clean the exterior cabinet of the applianceDescaling. The water we use normally contains lime. ItThis will help to prevent the formation of lime deposits. Cleaning the dispenser drawer. The washing powder and additive dispenser drawer should be cleaned regularly.Maintenance Wash. With the use of low temperature washes itWe recommend that a maintenance washTo run a maintenance washFlush it out under a tap, to remove any traces of accumulated powder. When you put itCleaning the drawer recess. Having removed the drawer, use a smallReplace the drawer and run the rinse programme without any clothes in the drum. Cleaning the water inlet filter. If your water is very hard or contains tracesIt is therefore a good idea toTurn off the water tap. Unscrew the waterTighten up the inlet hose. The dangers of freezing. If the machine is exposed to temperaturesMake sure thatThe appliance is only to be used and storedCertain problems are due to lack of simpleBefore contacting your local Service. Centre, please carry out the checks listedDuring machine operation it is possible thatThe machine does not start. The door has not been closed. The plug is not properly inserted in the power socket. There is no power at the socket. The main fuse has blown. The selector dial is not correctly positioned and the button StartThe machine does not fill. The water tap is closed. The inlet hose is squashed or kinked. The filter in the inlet hose is blocked. The door is not properly closed. The machine fills then empties immediately.

The end of the drain hose is too low. The machine does notThe drain hose is squashed or kinked. An option or a programme that ends with the water still in the tubThe laundry is not evenly distributed in the drum. There is water on the floor. Too much detergent or unsuitable detergent creates too muchCheck whether there are any leaks from one of the inlet hose fittings. It is not always easy to see this as the water runs down theThe drain or inlet hose is damaged. Unsatisfactory washing results. Too little detergent or unsuitable detergent has been used. Stubborn stains have not been treated prior to washing. The correct temperature was not selected. Excessive laundry load. The door will not open. The programme is still running. The door lock has not been released. There is water in the drum.The machine vibrates isThe transit bolts and packing have not been removed. The support feet have not been adjusted. The laundry is not evenly distributed in the drum. Maybe there is very little laundry in the drum. Spinning starts late or theThe electronic unbalance detection device has cut in because theThe laundry is redistributed by reverse rotation of the drum. This may happen severalIn this case,redistribute the load manually and select the spin programme. The load is too small.No water is visible in theMachines based on modern technology operate very economicallyIf you are unable to identify or solve theMod. Prod. No. Ser. No. Technical data. Dimensions. Electrical connection. Voltage. Overall power. Fuse. FrequencyWater supply pressure. Minimum. MaximumLevel of protection against ingress of solid particles and moistureCold water. Maximum Load. CottonMaximumConsumption values. Programme. Energy consumptionWater consumptionProgramme durationInstallation. Lifting the machine. Be careful when lifting the machine. Incorrect methods of lifting can cause physicalOpen the door andWarning! Never lift the machine byUnpacking.

When supplied the washing machine isYou are advised to keep all transit devicesPositioning. Install the machine on a flat hard floor. Make sure that air circulation around theLevel the washing machine by raising or lowering the twoAccurate levelling prevents vibration, noise and displacement of the machine during operation.Water inlet. Warning! This appliance must beImportant! Do not use the hose fromSet the hoseAfter positioning the inlet hose, be sure toThe inlet hose must not be lengthened. If itImportant! Before connecting up theWater drainage. The end of the drain hose can be positioned in three ways. Hooked over the edge of a sink usingIn this case, make sure the end

cannotThis could be done by tying it to theIn a sink drain pipe with a trap.The drain hose can be connected directlyThe drain hoseDirectly into a drain pipe at a height ofTheir must be an air gap around and belowThis means that the. Information on the electrical connection isCheck that your domestic electrical installation can take the maximum load required,Connect the machine to an earthedThe hose must not be stuck into theThe drain hoseThe drain hose can be extended up to totalUse a suitable hose connector.The power supply cable must beShould the appliance power supplyCentre. The manufacturer does not acceptEnvironment concerns. The symbolBy ensuring thisPackaging materials. The materials marked with the symbolDometic Austria GmbH. Neudorferstrasse 108Via Virgilio, 3. AUS WAECO Pacific Pty. Ltd.Riedackerstrasse 7aSkolmar 24. N3232 Sandefjord. HK WAECO Impex Ltd.DK7000 Fredericia. EuropeAvda. Sierra del Guadarrama, 16. Madrid. Dometic S.N.C. F60128 Plailly. FIN Dometic Finland OY. Mestarintie 4. FIN01730 VantaaEcustra 3. NL4879 NP EttenLeurGustaf Melins gata 7. UK Dometic UK Ltd. Blandford St. Mary. Dorset DT11 9LSVarsity Lakes QLD 4227. Hong Kong. ROC WAECO Impex Ltd. Taipei Office. Taipei 106, Taiwan. UAE WAECO Middle East FZCO. Jebel Ali, Dubai.

Please upgrade to a newer version or try a different browser. Posting Australia wide. Space Saver design. The Swedish produced front loader washing machine is compact in design and is manufactured to comfortably handle laundry loads of up to 3kg. As a front loader, and unlike conventional top loading appliances, the Space Saver can be installed under a work bench. This allows you maximum work bench space in your kitchen or laundry. In addition the slimline width 495mm makes it the perfect Space Saver for a small kitchen or laundry. Features Front loaderSpecifications Model 70000410, WMD1050, washer,, 033474 Brand Dometic Barcode 24091490401621006002121008100000 3.0 kg capacityCompare their specifications, prices, reviews and more. Space Constraints and Storage Options. Installing Washing Machine. How To Use Portable Washing Machine. Excellent product and a far better size 3kg, other brands far too small. This washing machine was installed in our caravan and I must say looks great. The only problem we had is that the Manual received in the packaging was wrong. The Control Panel labelling was completely wrong, and in the beginning we really had difficulty in getting the machine started. We finally got the correct one off your website, which I have now placed that in the caravan. Order arrived quick and at a fair price. Please upgrade to a newer version or try a different browser. Posting Australia wide. Order arrived quick and at a fair price. Consider whether your post is more suited for another forum. See the index page for the full list. Ever since new ours has never started on the first attempt. When the machine is turned on the door lock light doesnt come on, and the machine wont start. On the second or third attempt the light will come on and the machine will work. We always make sure the door and the detergent dispenser are properly closed.

Can other owners of one of these machines let us know if theirs always start on the first attempt, or is the issue we are experiencing a bit more widespread. Sounds like its not registering that the door is closed. Might be able to adjust it just enough to get it working, otherwise Id try a new solenoid. It might also be caused by the door handle not engaging the solenoid correctly. Id check that too. Are you getting any error codes from it. They can be done with the machine installed. Pretty much anything else means it has to come out. Ive never seen this problem before and Ive fixed over a hundred I reckon. Its been back for repairs under warranty, the first time we were told it was all fixed after they had replaced a switch didnt say which one. When we took the van home it was no different, still wouldnt start first time. The machine is back with the service agent now for the second time, out of the van. It will be fitted back into the van next week, we are away at present. When I rang them today and was told when they tried it in the workshop it worked perfectly and that we need to close the door firmly. Over the 12 months we have had the van we have tried closing the door every way, gently, firmly, slamming it and pushing hard. None of which makes any difference. We have had a front loader at home for years, and never had an issue with it, I was expecting the Dometic in the van to work the same. I am hoping they are right and it will work OK when we get it

back in the van. I have had two of these models in different vans. First one worked fine, never a problem. The new one in the new van has the same problem as yours. I guess I'm going to have to get mine seen to as it is becoming frustrating. Jiggling the door usually gets it going but how long will that last? Best move we have ever made. I used to work in the electronics service industry and sometimes the squeaky wheel gets the most grease.

Just for an example I once had a micro wave oven that was infested with cockroaches. The oven was full of them and had taken out the power supply for the display and relay controller board, hence the oven wouldn't work. The customer was told that this type of abuse was not covered by the warranty. The customer complained that much that the customer was sent a brand new micro oven as a replacement and we were left with the old oven to dispose of. Try complaining to the manufacturer, BIG TIME. Not good enough, service centre while good at replacing parts at the manufacturer's cost, will seldom look for a cause and just look for the error codes. We had the OPs problem and spoke to Dometic who stated it was the plug and that the plug could be pushed home without removing the machine. We had a guy accredited repairer come out who insisted that he had to remove the machine and take it away. He even tried to physically pull on the machine to remove it. At this point I insisted he leave it the idiot had not even undone the securing screws holding the machine in the cabinet. Once he realised he would not be allowed to take the machine away and bill Dometic for god knows what repairs under warranty he removed the rubber door seal, reached between the gap and pressed the plug home. Problem solved and that was nearly three years ago. No problem since. You can download the circuit diagrams and see where the switch is located and what it does. Hope this helps, Cheers Dave

Some years back there was conflict with Dometic machines and Onan generators due to the thyristor control in the machine where the Dometic would not run or run intermittently and Onan denied any problem so too Dometic. Thyristor controlled appliances need pure power to operate and anything less may cause problems so if you are running off an inverter or generator that is not pure then the time of switch on may mean the position of the wave is not suitable and after a few tries it may find the correct position and start.

This may be far from the actual problem but worth the mention. Lots of helpful info there. We have never used an inverter to run the machine, only 240v power and once with our PSW inverter genny, so I'm pretty sure that's not the problem. Time will tell if it's fixed or not when we pick it up next week. My 1050 is only doing short cycles of 30secs even when a long program is selected. Where can I buy an ECU pcb that's the board behind the front panel cause the agents fob me off and say they just send them to a WM mechanic. Also where does one get hold of the circuit diagram. Looking for your reply Cheers Cheers Dave

Works perfectly every time for the last two years. Uses 30 litres less water, which is vital when bush camping, weighs almost 40 kilos less and runs comfortably off a PSW 600w inverter. It's also a lot quieter and the van no longer vibrates and jumps around when spin drying. You could get a back massage laying down in bed with the spin operating with the 1050. Works perfectly every time for the last two years. Uses 30 litres less water, which is vital when bush camping, weighs almost 40 kilos less and runs comfortably off a PSW 600w inverter. It's also a lot quieter and the van no longer vibrates and jumps around when spin drying. You could get a back massage laying down in bed with the spin operating with the 1050. X 2 only we bought the Lemaire ! Pretty rough on clothes but good otherwise. When it went out of balance it made a hell of a racket. Had no problems with the wmd1050. Yes it is heavy and uses more water. Not an issue for us. It does clean very well and has the benefit of doing a hot wash when desired. When it spins it is barely noticeable. Standing next to it, outside the van it is extremely difficult to tell it is spinning. On the rare occasion it starts to spin and is out of balance it simply reverses rotation for a cycle or two and starts again. Very clever.

I suspect suspension types may have something to do with vibration you experienced, that or not having the stays down, or incorrect installation. I would agree though that the top loaders are a

more efficient option for free campers. Dave Works perfectly every time for the last two years. Uses 30 litres less water, which is vital when bush camping, weighs almost 40 kilos less and runs comfortably off a PSW 600w inverter. Its also a lot quieter and the van no longer vibrates and jumps around when spin drying. You could get a back massage laying down in bed with the spin operating with the 1050. Took van back and they removed the washer and removed bolts. But they forgot to bolt the machine back down. It damaged the timber work around the machine. I fixed it. But it was still a back massager. The Sphere doesnt need bolting down. The washers shock absorbers handle any out of balance well. Took van back and THEY removed the washer and removed bolts. But THEY forgot to bolt the machine back down. It damaged the timber work around the machine. But I dont want to get you in trouble by you answering! Dave Has anyone out there actually resolved this issue. I also sent the machine to a service agent and I think he replaced the door solenoid but that didnt solve the problem. The machine is still under warranty. Consider whether your post is more suited for another forum. See the index page for the full list. Does anybody know of a way to reprogram this machine to a shorter cycle of 20 to 30 mins I think you push the quick button once for quick and twice for extra quick. Colin. Unlike conventional top loading appliances, the Space Saver can be installed under a work bench. This allows you to maximize work bench space in your kitchen or laundry. Dometic part number 1508509005. White plastic. Design and Development by Web Ninja. Caravan spares. Online caravan parts. RV parts. Waeco. IBIS. Aircommand. Thetford. Camec. Hayman Reese. Dometic.

The problem we have is that the washing machine would fill with water then stop and without starting to wash empty the water out. The machine completed this cycle without any problem eliminating the motor and the pump. But I am sure there are lots of other things that can go wrong. Any information would be greatly appreciated. The User Manual indicates this problem occurs if the end of the drain hose is too low. Perhaps the hose has shaken loose. It can be handy to refer to instead of rifling through the folder of manuals. Paste as plain text instead Display as a link instead Clear editor Upload or insert images from URL. We have arranged for a washing machine tecno to come out on Thursday, but if we can open it ourselves, we will save the call out charge. Have searched Dometic website to no avail. All their instructions are how to unlock when using the machine not if the lock is broken Does anyone have any suggestions. The thermal door lock will have failed common fault with front loaders you will need to partly dismantle the machine to remove the switch. Please supply link to PDF, as we have been searching all afternoon. WE have not been able to find a parts and wiring diagram that solves our issue. But try this It should be what I downloaded. Once I manage to get the machine open, then I can use the chart to buy what we need to fix next stage. In the meantime, I have washing sitting in the machine and cannot open the door because the latch is broken. I am trying to get help in opening the door which has a broken lock. On the advice of a dometic agent in Launceston, we got a lock pick, and pried behind the door catch until we hooked it onto the latch, the door sprang open. We are now in the process of ordering a new door latch, which in fact, is harder than opening the door! Capturing Creatures Power Photo competition Photo Competition 2010 Water Photo Competition Seeing Red. Photo Competition Dust, dirt.

FORUM FUN AND RECORD ATTEMPT Photo competition Let there b. Something went wrong. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Program terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Program terms and conditions opens in a new window or tab Learn more opens in a new window or tab Learn more opens in a new window or tab Learn more opens in a new window or tab Learn more opens in a new window or tab Learn more opens in a new window or tab See the sellers listing for full details. Contact the seller opens in a new window or tab

and request postage to your location. Please enter a valid postcode. Please enter a number less than or equal to 4. If you dont follow our item condition policy for returns, you may not receive a full refund. Refunds by law In Australia, consumers have a legal right to obtain a refund from a business if the goods purchased are faulty, not fit for purpose or dont match the sellers description. More information at returns. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign.

<http://www.diamondsinthemaking.com/content/cub-cadet-owners-manual-lt1040>