



**File Name:** Dvd-3930 Service Manual.pdf

**Size:** 1735 KB

**Type:** PDF, ePub, eBook

**Category:** Book

**Uploaded:** 21 May 2019, 22:44 PM

**Rating:** 4.6/5 from 676 votes.

**Status:** AVAILABLE

Last checked: 4 Minutes ago!

**In order to read or download Dvd-3930 Service Manual ebook, you need to create a FREE account.**

**[Download Now!](#)**

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

### Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Dvd-3930 Service Manual . To get started finding Dvd-3930 Service Manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



## Book Descriptions:

# Dvd-3930 Service Manual

All files are provided under strict licence and reproduction without prior permission or for financial gain is strictly prohibited. If you have additional documentation please consider donating a copy to our free archive. Sound quality EASILY as good as my much newer Cambridge Audio Azur 751 player, just less compatible. Comments These are easy to replace and now very cheap. A simple modular design with no alignment necessary. A 20 minute job that a careful novice can do. Instructions with pictures online. And how do I know exactly what it is I need. Thanks, Kenny Thanks Kenny I want to be sure Im chasing the right dragon. Any thoughts, ideas or prayers. Thanks for your attention. KennyTo purchase DVD3930 spares or accessories, please contact the company via their website or visit an authorised retailer. Looking for a belt If you didnt find your belt listed in our Find My Denon player tool then you can search the mechanical drawing likely found in this service manual for the original Denon DVD3930 belt part number and see if it is listed in our Find My Denon original belt part number lookup Xref tool before trying the last option of contacting us with your measurement info. All Rights Reserved. All trademarked names, logos, and brands are property of their respective owners. All company, product and service names used in this website are for identification purposes only. Their use does not imply endorsement by any brand unless expressly stated. Please check your inbox, and if you can't find it, check your spam folder to make sure it didnt end up there. Please also check your spam folder. This document may contain information that is privileged, confidential and may be protected from disclosure under applicable laws and terms of the DENON Service Agreement. Any distribution, disclosure, dissemination or copying of this document and the information it contains is prohibited.<http://www.landforma.pl/pliki/dell-e151fpp-service-manual.xml>

- **dvd-3930 service manual, denon dvd-3930 service manual, dvd-3930 service manual, dvd-3930 service manual pdf, dvd-3930 service manual download, dvd-3930 service manuals, dvd-3930 service manual free.**

No responsibility will be accepted by DENON for any damage, injury or loss resulting from the misuse of the information contained in this document. If you rewrote the unit by mistake, rewrite the unit again using the correct program file. This document may contain information that is privileged, confidential and may be protected from disclosure under applicable laws and terms of the DENON Service Agreement. No responsibility will be accepted by DENON for any damage, injury or loss resulting from the misuse of the information contained in this document. Discover everything Scribd has to offer, including books and audiobooks from major publishers. Start Free Trial Cancel anytime.Browse Books Site Directory Site Language English Change Language English Change Language. The update takes about 8 minutes. Confirmation of the Version 1 Turn off the Power switch of the unit once. Caution during the rewriting operation. This document may contain information that is privileged, confidential and may be protected from disclosure under applicable laws and terms of the DENON Service Agreement. No responsibility will be accepted by DENON for any damage, injury or loss resulting from the misuse of the information contained in this document. Next Model DVD3930CI, DVD3930.Page 9 5Push PLAY buttonPage 14 4 Download the update firmware at the target system.Page 15 5 Update firmwareWait until progress bar stops blinking indicate programming into Flash. It contains circuit diagrams schemas etc. We have proficiency in offering quality services in order to provide our customers most satisfactory and valueadded services help them to meet their requirements. It also usually contains parts catalog. After placing order well send You download instructions on Your email. See below for delivery information. We have 5 online

manuals for this item!<http://innalaska.com/admin/userfiles/dell-e-port-advanced-manual.xml>

The better the quality of your answer, the Target Models DVD 5910, 5910CI, 3910, 2910, 3930, 2930 Copyright 2001 Denon engineers have their development of low level video signals and reproduces high definition images of discs. Composite, S-video and component signals each target pixel. Power Cord Protection Power supply or removing covers may be retained for the grounding electrode. Basic Operation Turning the power on this DENON DVD. Moving to the beginning 42 Searching using the NUMBER buttons 42 Frame by frame playback for DVD Video discs and Video CDs only 43 Slow playback 43 Repeat playback 43, 44 Repeating a section. Others About the DENON LINK function 48 Advanced AL24 Processing 48 Copyright protection technology 48 Resetting 48 Registered trademarks 48. The DVD 3930CI has region number 1. Getting Started. Getting Started. Mark logo Signal content Disc size THERE ARE QUESTIONS REGARDING OUR TV SET COMPATIBILITY WITH THIS MODEL 525p AND 625p DVD PLAYER, PLEASE CONTACT OUR CUSTOMER SERVICE CENTER. Use this procedure to set automatically. RES. 3rd DEFAULT 19 ON 19 19 If you purchased the player. The following digital audio signals can be set. Use this. ALL OFF Only the analog audio signals are output. My Denon DVD 3930CI player will play audio CDs but will not load any DVD. Posted by stepchukfred 8 years ago Denon DVD 3930CI Answers I would like to add Netflix it should work normally then. If you have a busy business. To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. See All Buying Options Add to Wish List Disabling it will result in some disabled or missing features. You can still see all customer reviews for the product. It still holds its own against newer products. I purchased another one for a 2nd home theatre. The first one sent was defective.

The owner was one of the nicest and upfront Amazon Sellers I have ever dealt with!. Josh sent another one out immediately and this one works beautifully. Also it had a new CODEC than blocked all copied SACDs from the 5900 series Reviewed in the United States on July 22, 2018 the laser was almost gone on the one I bought used. Also it had a new CODEC than blocked all copied SACDs from the 5900 series. Please try again later. From the United States It still holds its own against newer products. I purchased another one for a 2nd home theatre. The owner was one of the nicest and upfront Amazon Sellers I have ever dealt with!. Josh sent another one out immediately and this one works beautifully. Please try again later. Please try again later. My Opinion 5.0 out of 5 stars Its big, its bulky, but boy what a blast to use. Hooked up with HDMI, Logistic universal remote controls it, and I just sit back and watch movies without the hassle and edgy video like before. Well worth the investment. Please try again later. Please try again later. Alan McIntyre 5.0 out of 5 stars Please try again later. Please try again later. Jean Desrosier 4.0 out of 5 stars Please try again later. Please try again later. L 5.0 out of 5 stars However, don't let my five star rating mislead the unknowing into buying this machine without being aware of the possible downside. I purchased the 3930CI used, claimed to be working properly. Upon inserting the first factory DVD it refused to play it, period. It was hit and miss on several factory DVDs and burned DVD media. It was highly unusable in its former state. I already own a 2930CI always worked superbly and I already knew about the history of both the 2930 and 3930 machines with the crappy lasers that are highly problematic for many owners. Thus, I was prepared for the worst with my new acquisition. Previous to purchasing the 3930, I had already purchased a laser pickup assembly in case the 2930 laser failed.

It hasn't so far, and fortunately both players use the same laser pickup. Both the user and service manuals are easily obtained in pdf form on the web. Moreover, there are numerous forums and YouTube videos detailing other user experiences, taking on the laser pickup replacement for both machines. The procedure is virtually identical for both players. Although not horribly complicated, one must take great care and pay close attention to detail, when replacing the laser pickup. There

are three springs on the laser assembly that easily pop loose and will fly about, if one is not aware. If those springs are lost, good luck. I've duped a few of the problem discs onto DVDR media and they play quite well. Who knows I doubt it, because there is nothing to adjust but 2 allen screws on the back on the pickup, mounted on the traverse unit, that encompasses the laser assembly and the suspension that isolates the entire unit. The 3930 is a temperamental player. Really, there is no excuse for this class of player not playing anything you throw at it, while my Denon DVD 2930, 1930, and 1920 all play just about anything that comes their way, without issue. Why do I give 3930 five stars, despite having to repair the unit right out of the box, if you will. The video performance is superb. I thought the 2930 had great it does video playback and wouldn't be bettered by much, with the 3930. I was wrong! The 3930 takes the video playback to an all new class of performance. The video detail, color rendition, and the sense of an almost 3 dimensional presentation on some DVDs is breathtaking. Discs that didn't meet my expectations on the 2930, played significantly better on the 3930. This player will extract more than I imagined from even crappy DVDs. The Sony monitor has a modest sound system, although with builtin subwoofer. The significantly better audio performance of the Denon DVD 3930 is readily apparent even playing on a modest builtin TV sound.

The bass is deeper more powerful, and better defined. The audio mids, highs, and sound staging are highly improved over the 2930. While the 2930's audio performance is pretty good, the 3930 clearly surpassed it, and those improvements can be heard on modest sound systems. I wouldn't have believed it, if not for the two players to compare, side by side. While the 2930 is solidly built, the 3930 takes build quality to entirely new level. Isolated and separate power supplies for both digital and audio circuitry. Moreover, the audio unit has a separate power transformer, further isolating the audio out from digital interference. I've only played conventional CDs, but it plays them well. I don't have the SACDs, DVD audio discs, or a high end audio system to play them back on. But from judging the very noticeable audio improvement over the 2930 on a modest TV sound system, I feel highly motivated to invest in some high end audio gear. For those prepared to replace the laser pickup on one of these beasts, the effort is worth it. For those who are not. It's a hit and miss proposition. Hopefully, you won't get a player with a faulty laser. I've only put a 48 hours of playing time on the unit since the repair. It's solid as a rock, aside from the glitch mentioned previously. I'll endeavor to post a follow up review in the future. Please try again later. Please try again later. Frank W. Yu 5.0 out of 5 stars I am so glad to report that its SACD performance is superb. It has the nuance and details as my current Sony SCD777ES. Plus, its DVD performance is slightly better than the Oppo. Please try again later. Please try again later. Robert K. Vidervol 3.0 out of 5 stars Also it had a new CODEC than blocked all copied SACDs from the 5900 series Also it had a new CODEC than blocked all copied SACDs from the 5900 series. Please try again later. Please try again later. Igor Zenkov 4.0 out of 5 stars It was consistently rated as the best DVD player one could get.

After using the player with DVDs of various picture quality I can only confirm it. I tested it against Sony PS3 and Oppo 980 and Denon would always give me the best picture quality. With good DVDs Denon always gives a better color reproduction with bad DVDs after using Picture Adjust menu one can fix pretty much any DVD playback problem. Realta HQV really shines with bad MPEG encoding; digital noise filter is just superb. Denon's default playback settings assumes that you only have a perfect DVDs in your collection, so sharpening, saturation, filters are all off. You have to be willing to learn how to correct imperfections using Picture Adjust menu. If you don't want to learn this complex player then you would be better off with something less expensive. Sony PS3 default settings for example are more user friendly. Now bad news, well at least for me. DivX playback on 3930 was one of the key features I was looking for. I have a huge library of DivX files and Oppo 980 plays them all with absolutely no problem at all. Denon 3930 unfortunately just fails miserably here. Denon's DivX decoder produces motion artifacts. If I stop playback picture looks perfect, unfortunately transitions from frame to frame produces ugly zigzag lines and painful to watch. Latest firmware did not fix this

problem. Please try again later. Please try again later. HiFi Freak 4.0 out of 5 stars Endless possibilities for all purposes and connections. Be aware of delicate CD and SACD lecture. Interruptions get more frequent with time. Otherwise, don't hesitate if you get it cheap! Please try again later. Please try again later. This player fits the bill perfectly and has really brought alive both movies and music. Denon Job well done!! Please try again later. Please try again later. Learn more opens in a new window or tab This amount is subject to change until you make payment.

For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab This amount is subject to change until you make payment. If you reside in an EU member state besides UK, import VAT on this purchase is not recoverable. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Delivery times may vary, especially during peak periods. Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn More opens in a new window or tab Learn more See the seller's listing for full details. Contact the seller opens in a new window or tab and request a postage method to your location. Please enter a valid postcode. Please enter a number less than or equal to 3. All Rights Reserved. User Agreement, Privacy, Cookies and AdChoice Norton Secured powered by Verisign. Search results for found ask for a document File Date Descr Size Popular Mfg Model Found in chassis2model Found in repair tips. This amount is subject to change until you make payment. For additional information, see the Global Shipping Programme terms and conditions opens in a new window or tab Delivery times may vary, especially during peak periods and will depend on when your payment clears opens in a new window or tab. Learn more opens in a new window or tab All Rights Reserved. Specifications. Disc formats BluRay, DVD, CD. Audio formats PCM, DD, DTS, MP3, WMA. Video Connections HDMI. Dimensions 434 x 139 x 391mm. I want it as a cd player, heard good thing about the de. DVD2500BTCI Owners Manual English. 5.23 MB. DVD3800BDCI DVD2500BTCISerialProtocol Ver3.09. Up for sale is a factory issued Service Manual for the Denon Model DVD2500 DV D Video Player. Auctivas FREE Counter. Don't settle for hard to read copies. Free download of Denon DVD2500 User Manual. Troubleshooting.

Denons DVD2500BTCI BluRay Player OWNERS Thread Page 3. [www.avsforum.com](http://www.avsforum.com). DenonDVD2200ServiceManual pdf DenonDVD2200Brochure pdf DenonDVD2500Brochure pdf DenonDVD2500BTOwnersManual pdf. Money Back Guarantee. View full Denon DVD2500 specs on CNET. Denon DVD2500 DVD player Specs. BuiltIn Media, —, remote, batteries, instruction manual, warranty card. Uimate denon repair service manuals over 1000 pdfs manuals on 8gb 2 dvds ebay. Image is. Denon service manual dvd 2500 video player original repair. Manuals and Resources Denon Dvd2500Btci BluRay Player Dvd Video. Nakamichi 700 ZXL Original Service Manual in PDF PDF format suitable for. Denon dvd2500btci bluray dvd cd 1080p single hdmi input disc player transport. Kyocera FS1500 Parts Manual.rar, 19052005, FS1500 Page Printer Parts Catalogue, Printers, 1388 kB, 2500, Kyocera, FS1500, FS1500, plamensl. I had an Oppo DV981HD DVD player a few years ago, and although I have the original box, remote and manual. Good afternoon fellow 3800 owners. Our take on the Denon DVD2500BTCI by Crutchfields Loren Barstow. Videos tutorials Documents manuals. Denon DVDA1UD Video Review Part 1 of 2. DENON 7D 80 Owners Manual with Schema.pdf. DENON 7D80 User. DENON DVD 2500BTCI Service Manual Version 1.pdf. DENON DVD. 390 items. NEW Genuine DENON Service Manuals on cd DVD800 DVD Video. Denon DVD2500 DVD Video Player No Remote PCM Audio Technology. The following scans of audio equipment manuals, brochures, catalogs, reports. If you have manuals, catalogs or other pertinent publications to add to this site. Where can I download an Owners Manual for my Denon Product. For Sale Used Genuine Denon S5BD Bluray Player HDMI Receiver. Denon DNX1600 Traktor Certified Mixer For Sale In Pristine Condition !!! Selling my dvd music player for mercedes if interested just give me a call. Bently acoustics F110 speakers and denon bt 540 amp both new in boxes. R 2,500. Bellville. 2 x JBL Surround Speakers small in Bellville,. 207 items.

Pa2 Denon DVD2500BT Bluray Player HD Transport With remote. Denon. PDFs of the Owners and Service Manuals Factory Marketing Flyer. Denon DVD1930 DVD Player Owners Instruction Manual. Ref Denon Manual DVD DVD2500 Player Owners Denon DVD2500 DVD Player Owners Manual. Something went wrong. Learn more opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Program terms and conditions opens in a new window or tab This amount is subject to change until you make payment. For additional information, see the Global Shipping Program terms and conditions opens in a new window or tab Learn more opens in a new window or tab Learn more opens in a new window or tab Learn more opens in a new window or tab Learn more opens in a new window or tab See the sellers listing for full details. Contact the seller opens in a new window or tab and request postage to your location. Please enter a valid postcode. Please enter a number less than or equal to 49. If you don't follow our item condition policy for returns, you may not receive a full refund. Refunds by law In Australia, consumers have a legal right to obtain a refund from a business if the goods purchased are faulty, not fit for purpose or don't match the seller's description. More information at returns. All Rights Reserved. Login to post No manual was available. How would I go about getting a manual for it I let my EX have the panasonic big grin If you can't find a fix then look at the codes available for cheaper brands and how easy it is to do it before you purchase one. Just a thought. After this replacement your Denon DVD3910 will work fine again. I've bought it 2 years ago 27.04.2007. It worked quite fine until Jan 2009. I own 300 copy protected CDs between mine they were bought between This forum suggests to upgrade Denon firmware. I did.

Suddenly my Denon started to freeze 35 seconds in a random way when I play my audio CDs. This forum suggests to upgrade Realta firmware too in a Denon authorized center. I took my 3930 in it. Engineer told me that my problem is caused by optical lens and in 1 Result it freezes again but now without end, 3930 had to be switched off in order to play again till another freeze. I'm angry. I took my 3930 back again to Denon authorized center engineer told me After 2 weeks he phoned me it was ok. The day I phoned to him in order to take my 3930 back home he said this Today after 2 weeks he phoned me it is ok. I took it home again this time he substituted mechanical tray and upgraded firmware. I'm very very very angry. Denon DVD 3930 Denon AVR 4306. Is there someone who is able to solve this sfinx question Answer questions, earn points and help others. Page Count 44 Page Warnings, laser safety instructions and notes Block diagram Power supply Tel. Mob Copyright 2001 Philips Consumer Electronics B.V. Eindhoven, The Netherlands. All rights reserved. No part of this publication may be reproduced, stored in a Published by MW 0162 Service PaCE. Printed in the Netherlands. Subject to modification Specification. English CD CDR and CDRW. MP3 DVD622 only Digital Output Semiconductor AlGaAs. Numerical Aperture Diameter. Playing time Signal handling. Digital Compression. Optical Disc One layer. Dual layer. Two side. Single layer. Dual layer Components. MPEG2 for DVD. MPEG1 for VCD Playback Vertical Resolution Vertical Resolution RGB SCART output. Black Level Shift. Video Shift Approx. 3.5 Kg Slow Motion. AB Repeat. Shuffle. Scan. New enhanced user graphical interface. Perfect Still with digital multitap filter. Zoom x1.33, x2, x4 with picture enhancement. Smart Picture for convenient personal colour setting DVD622 only. Screen Saver Dim 75% after 15 min. Virtual Jog Shuttle. Audio and video bit rate indicator Audio Selection 1 out of max. 8 languages. Subtitles Selection 1 out of max. 32 languages.

Aspect Ratio conversion 169, 43 Letterbox, 43 Pan Scan. Parental Control and Disk Lock. Disc Menu support Title Menu and Root Menu Disc Lock. Programming Tracks with Favourite Selection. Compressed Digital Analog Sound Stereo. Dolby Pro Logic downmix from Dolby Digital multichannel sound Video CD Signal Noise 1kHz. Dynamic Range 1kHz. Crosstalk 1kHz. Distortion and Noise 1kHz Weight. Euroconnector. Cinch yellow MPEG Audio L3 Programming with Favourite Track Selection. MP3 FUNCTIONALITY DVD622 only. Time Display Track. Album and Track Selection Specifications subject to change without prior notice Careless handling during repair can

reduceWhen repairing, make sure that you areKeep components and tools also at thisZorg ervoor dat u tijdens reparatie via eenHoud componenten en hulpmiddelen ook opLeur longevite pourrait etre considerablementLors de reparations, s'assurer de bien etreVeiller a ce que les composants ainsi que lesEntladungen ESD. Unsorgfaltige Behandlung bei der ReparaturSorgen sie dafür, das Sie im ReparaturfallHalten Sie Bauteile und Hilfsmittel ebenfallsLa loro longevita potrebbe essere fortementeDurante le riparazioni occorre quindi essereAssicurarsi che i componenti e anche gliDer Originalzustand des Gerats darf nicht verändert werden. Für Reparaturen sind OriginalErsatzteile zu verwenden.Le norme di sicurezza esigono che l'apparecchio venga rimesso nelleAny resistance measurement less than 1 Megohms should cause unit to be repaired or corrected before AC. Ref.UL Standard NO.1492.Only original parts should be used to replace any part with symbol. Any other component substitutionother than original type, may increase risk of fire or electrical shock hazard.Only a qualified service person should remove the cover or attempt to service thisWave length. Output Power. Beam divergence.

SemiconductorlaserGaAlAsRepair handling should take place as much as possible with a disc loaded inside the playerThe primary side of the powersupply including the heatsink carries live mains voltage when theService personnel have to take precautions to prevent touching this area orThe primary side of the powersupply has been indicated with a lightning stroke and a stripemarkedFor repair of the DVDmodule ASD1, the service manualFor assistance with the repair process of the monoboard anThis COMPAIR program is available on CDROM. The Version of the CDROM for repair of the monoboard is. V1.3 and can be ordered with codenumber 4822 727 21637. This is an update CDROM, so when the COMPAIR CDROMENGINE CDROM V1.2 first. The V1.2 CDROM can be ordered with codenumber 4822The cable to connect the monoboard with a PC can beAll the hardware and software requirements of the systemsRemove 4 screws to remove loader.DVD Mono board. DVD moduleWhen no disc is loaded, unlock the tray by moving the slide from the leftPower supply unit 1005MonoboardFront assy 200Manually opening of tray. DemountingDisplay board 1003Mounting. Dismantling instructions. Cover 232See exploded view for item numbersService position. See figure 41 for the service positionFigure 41The dealer script executes all diagnostic nuclei that do notThe nuclei called in the dealer script are the following theThe dealer script can give a diagnosis on a standalone DVDOnly tests within theNucleus. Description. VideoColSetupCommPapChksFlPapI2cDispPapS2bEchoPapI2cNvramPapNvramWrRCompSdramWrRPress 2 keys simultaneously. Connect to mains. During the test, the following displayDiagnostic software descriptions and troubleshootingDVD player must be connected to a tv set to check the outputFor DVDv2b a multichannel amplifier,Some nuclei e.g.The player script contains all nuclei that are useful on a DVDPress 2 keys simultaneously. Connect to mainsDispLed29VideoScartSwDvd54aStructure of Player Script.

The player script consists of a set of nuclei testing the threeDigital PWB and the Basic Engine. Nuclei run by the player test need some user interaction; inReading the error log and error bits information can beThe list of nucleiFor DSW version 1.6 and above. the DSW version numberPress NEXT toThe display should look like the followingLogReadbits32. Figure 53. To exit player test,Figure 54Once More Mic ControlThe LEDs on the DVD player is are tested by nucleus. DispLed. The user must check if the LEDs is are lighted;By pressing. NEXT the script will proceed to the next test. If the userIf OK, press PLAY. If NOK, press PAUSE. If OK, press PLAY. If NOK, press PAUSEIf any keys are detected more than once due to hardwareIf the user does not press all keys minimally once in anyThe test will also pass if all buttons, except the microphoneThe user can leave the keyboard test by pressing the NEXTThe result of the keyboard test is shown on local display asFigure 55DispKeyb. The user is expected to press all keys on the localPressing NEXT on the local keyboard again will proceed toDispRc. The user must press any key on the remote controlFigure 56. The keycodes displayed on the local display will scroll fromIn this example 23 is the hexadecimal code of the pressed RCNEXT on the local keyboard of the DVD player. The remoteOr. C Key id.

Hexadecimal code  
Pressing NEXT on the local keyboard again will proceed to  
The display will show the following message  
If the user presses PAUSE, the P50 test will be skipped. If the user presses PLAY, the P50 test is performed and the  
Test successful  
Test fails  
Press the NEXT key to continue to the next text  
After pressing NEXT, the result of the remote control test is  
The picture test is performed by putting a predefined picture  
The display will show the  
The signal can be stopped by  
The display will show the following  
By pressing PLAY the user confirms the test, pressing. PAUSE will indicate the picture was invisible or incorrect.

Pressing NEXT will proceed to the next test  
The first sound test is performed by starting a pink noise  
AudioPinkNoiseOn; the display will show the following  
By pressing PLAY the user confirms the test, pressing. PAUSE will indicate that something went wrong. Pressing. NEXT will proceed to the next; if the user presses NEXT  
The colour setup test is performed by putting the internally  
The first colour bar will be displayed in setting 1. the display  
This sound will only be audible from version cut3.1 of. Sti5505item7503 on mono board onwards. After starting up  
When entering the SCART loop  
trough, the local display  
By pressing the NEXT button, you can go to the second  
On the TV screen a colour bar generated by nucleus. VideoColDencOn is visual and the internally generated  
By pressing PLAY the user confirms the  
By pressing  
By pressing the PREVIOUS button, the colour bar with the  
By pressing PLAY the user confirms the test, pressing. PAUSE will indicate that something went wrong. The test can be left by pressing the NEXT key for more than  
The internally generated colour bar is still available on the. And the pink noise signal is still  
By pressing the PREV  
In the basic engine tests, the version number of the Basic. Engine will be shown first, as the following example  
If the user  
Figure 524. By pressing the NEXT key, the Basic Engine tests are  
The purpose of this test is also to give  
Figure 528. By pressing PLAY the user confirms that the focussing was  
Pressing NEXT proceeds to the next test after a reset of the  
PLAY or PAUSE, the result of this test will be TRUE  
focus  
Figure 525. By pressing PLAY or PAUSE the user can toggle the position  
Pressing NEXT will proceed to the  
SLEDGE TEST  
visual test. By pressing PLAY the user confirms that the radial function  
If the user presses NEXT  
TRUE radial successful. The second Basic Engine test tests the sledge; the user can  
Pressing NEXT on the local keyboard proceeds to the next  
The sixth and last Basic Engine test tests the jumping by  
BeGroovesOut.