

File Name: Dvp-Pq1 Manual.pdf

Size: 2741 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 7 May 2019, 16:50 PM

Rating: 4.6/5 from 694 votes.


Status: AVAILABLE

Last checked: 15 Minutes ago!

In order to read or download Dvp-Pq1 Manual ebook, you need to create a FREE account.

[Download Now!](#)

eBook includes PDF, ePub and Kindle version



[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Dvp-Pq1 Manual . To get started finding Dvp-Pq1 Manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

Dvp-Pq1 Manual

Sony news in your inbox. Download our apps. Support Support Self Support Contact Support Community Register a Product Sign In Favorites Sony Rewards Electronics Registration Electronics Community Favorites Favorites Search Sony Sony Sites Search Sony To get the full experience on Sony.com, please change your settings to allow JavaScript. The disc player will not turn on or has no power. We recommend downloading and installing the latest version of one of the following browsers Our site is not optimized for your current browser. A newer version of your browser may be available Chrome Chrome Download the latest version IE Internet Explorer Download the latest version Firefox Firefox Download the latest version Apple Safari Download the latest version Proceed with current browser for now Proceed with current browser for now. Page Count 2 Should any problem persist, consult your nearest Sony dealer. Power The player does not turn on. 1 Connect the power cord mains lead securely. 1 Close the lid of the player until it clicks. Display There is no picture. The picture is distorted. 1 Check to see if the player is connected securely. 1 Check to see if the connecting cord is damaged. 1 Check the connection and change the video input on the TV so that the picture output from this player is displayed on the TV screen. 1 If the video signal from your DVD player is output to your TV via a VCR, the copy protection signal of some DVD programs could affect the picture quality. If you still experience problems after connecting this player directly to your TV, try connecting to the S VIDEO input of your TV, if it has one. 1 For Asian models only If the player's menu display or the Setup Display is distorted, change the color system of the player to PAL or NTSC. The default setting is NTSC. The picture does not fill the screen even after adjusting the "TV TYPE" in "CUSTOM SETUP." 1 The aspect ratio is fixed on your DVD. Audio There is no sound.<http://alterconseil.fr/alterconseil/images/dell-media-direct-manual.xml>

• dvp-pq1 manual.

1 Check to see if the player is connected securely. 1 Check to see if the audio connecting cord is damaged. 1 Check to see if the player is connected correctly to the amplifier. 1 Change the audio input setting of your amplifier so that you can hear the sound from this player. 1 The player is in the pause, Slow Motion Play, or the scan mode. 1 If no sound is output from the DIGITAL OUT COAXIAL jack, check the audio setup setting. See "Settings and Adjustments" on the Blue Side. 1 Press AUDIO repeatedly and select "STEREO" to play DTS sound tracks on a CD. Operation The remote does not function. 1 Remove any obstacles between the remote and the player. 1 Use the remote near the player. 1 Point the remote at the remote sensor on the player. 1 Replace all batteries in the remote with new ones. The disc does not play. 1 Close the lid of the player until it clicks. 1 Place the disc on the tray with the recorded side facing down, and press its center until it clicks into place. 1 The disc type is not compatible with the player. 1 Moisture has condensed inside the player. See "Precautions" for details. The player does not start playing from the beginning of a disc. 1 The player is in Repeat Play, Shuffle Play, or Resume Play mode. To return to normal play mode, press CLEAR or press x twice. Playback stops automatically. 1 A disc with an auto pause signal stops playback at that signal. I cannot perform some functions such as Stop, Scan, Slow Motion Play, Repeat Play, or Shuffle Play. 1 Some discs prohibit the operation of these functions. Connecting to your TV using an S VIDEO cord For better sound You can connect this player to an amplifier and speakers to enjoy better sound. Connecting an amplifier using a stereo audio cord Connecting an amplifier using a coaxial digital cord Using the Design Sheet You can open the clear, fanshaped cover on the lid of this player and insert the supplied "design sheet" or your favorite pictures and photos.<http://amptrekk.com/userfiles/dell-mfp-1815dn-service-manual.xml>

1 Press Z PUSH to open the lid of the player. 2 On the back side of the lid, slide the lock 1 and release the hook 2. 3 Close the lid, and remove the cover. 4 Place a design sheet on the lid. 5 Align the two holes of the cover with the tabs on the lid 1. Insert the hook into the hole in the lid 2 until it clicks. The viewer limitation becomes more strict as the number becomes lower. To return to the previous screen Press O. To turn off the display Press DISPLAY. The display for changing the password appears. Enter a new password and press ENTER. To confirm the password, enter the new password again, and press ENTER. Playing discs with playback limitations 1 Place the disc on the tray, and close the lid until it clicks. Playback starts. To cancel the playback limitation Select "OFF" for "LEVEL" in step 8 of "Setting the playback limitation level." If you forget your password Open the lid and perform steps 13 of "Setting the playback limitation level." Enter the 6digit number "199703" in step 4, and press ENTER. After entering a new password and pressing ENTER, repeat the entire procedure from step 1 of "Playing discs with playback limitations." Identifying the discs Playable discs DVD VIDEOS Music CDs VIDEO CDs The "DVD VIDEO" logo is a trademark. Copyright This product incorporates copyright protection technology that is protected by method claims of certain U.S. patents, other intellectual property rights owned by Macrovision Corporation, and other rights owners. Use of this copyright protection technology must be authorized by Macrovision Corporation, and is intended for home and other limited viewing uses only unless otherwise authorized by Macrovision Corporation. Reverse engineering or disassembly is prohibited. Understanding disc structures A disc is structured by sections as shown below. Dolby Surround Pro Logic Audio signal processing technology developed by Dolby Laboratories for surround mode.

This player conforms to a sampling frequency of 32kHz, 44.1kHz, and 48kHz. MPEG The name of a committee that generates international standards for the digital video and audio compression system. Also the standard authorized by the committee. MPEG1 conforms to up to 2 channel stereo. MPEG2, used on the DVDs, conforms to up to 7.1ch surround. The power requirements, power consumption, and region code of this player are indicated at the bottom of the player. To disconnect the AC power cord mains lead, grasp the plug itself; never pull the cord. Should this occur, the player may not operate properly. On adjusting volume Do not turn up the volume while listening to a section with very low level inputs or no audio signals. If you do, the speakers may be damaged when a peak level section is played. On cleaning Clean the cabinet, panel, and controls with a soft cloth slightly moistened with a mild detergent solution. Do not use any type of abrasive pad, scouring powder, or solvent such as alcohol or benzine. On cleaning discs Do not use a commercially available cleaning disc. It may cause a malfunction. IMPORTANT NOTICE Caution This player is capable of holding a still video image or onscreen display image on your television screen indefinitely. If you leave the still video image or onscreen display image displayed on your TV for an extended period of time, you risk permanent damage to your television screen. Projection televisions are especially susceptible to this. If you have any questions or problems concerning your player, please consult your nearest Sony dealer. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses, and can radiate radio frequency energy and if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. For customers in the U.S.A. and Canada This symbol is intended to alert the user to the presence of uninsulated "dangerous voltage" within the product's enclosure that may be of sufficient magnitude to constitute a risk of electric shock to persons. This symbol is intended to alert the user to the presence of important operating and maintenance servicing instructions in the literature accompanying the appliance. For customers in Europe This appliance is classified as a CLASS 1 LASER product. The CLASS 1 LASER PRODUCT MARKING is located at the bottom of the player. Notice for customers in the United Kingdom and Republic of Ireland A moulded plug complying with

BS1363 is fitted to this equipment for your safety and convenience. Should the fuse in the plug supplied need to be replaced, a 5 AMP fuse approved by AST A or BSI to BS1362, i.e., marked with or mark must be used. If the plug supplied with this equipment has a detachable fuse cover, be sure to attach the fuse cover after you change the fuse. Never use the plug without the fuse cover. If you should lose the fuse cover, please contact your nearest Sony service station. Before operating this player, please read this manual thoroughly and retain it for future reference. In this manual, the basic information on connection, operation, and settings is given on the back side Blue Side. The advanced information on connection and settings, and additional information is given on this side Brown Side. **WARNING** To prevent fire or shock hazard, do not expose the player to rain or moisture. To avoid electrical shock, do not open the cabinet. Refer servicing to qualified personnel only. Power cord mains lead must only be changed at a qualified service shop. For customers in the U.S.A. Owner's Record The model and serial numbers are located at the bottom of the player. Record the serial number in the space provided below.

The following caution label is located on the reverse side of the disc tray. Enter a password, then press. ENTER PARENTAL CONTROL I cannot switch the audio language or the angle. The player does not operate properly. 1 Static electricity, etc., may affect the players operation. Disconnect the AC power cord mains lead, then connect it again. Error Messages A fivecharacter service number combination of a letter and digits e.g., "E6110" is displayed on the screen. 1 When the first 3 digits are "C13" Clean the disc with a cleaning cloth. 1 When the first 3 digits are "C31" Place the disc correctly on the tray. 1 When the digits start with "E" Consult your nearest Sony dealer. Scenes that are limited by this function may be blocked or replaced with different scenes. Press b to go to the next digit. Before connecting, make sure that your TV is turned off. To enjoy better picture and sound, refer to the Brown Side of this manual. Refer also to the instruction manuals of the components to be connected. Note This function may not be available depending on the connected TV. The next time you press H, playback starts from the same place. Resume Play To play from the beginning Press x twice, then press H. To remove the disc Hold the edges of the disc and pull while pressing the center. Playing MP3 audio tracks from a list You can select and play MP3 audio tracks from the list displayed on the menu. Selecting an MP3 audio track 1 Press MENU. Playback starts. To display the next or previous page in an album or track list Press b or B. To turn off the menu Press MENU once. Hint The album or track currently being played is shaded in the list. To insert batteries in the remote Slide open the cover. Connecting the EURO A V Adaptor For European models only Attach the Euro A V Adaptor supplied to your TV. Playing Discs See "Using the remote" at the bottom half of this page for more details on the remote.

For European models only Connect using the EURO A V Adaptor supplied. Then, connect the player and the TV to an AC power source mains. On your TV Turn your TV on and select the video input. Place a disc on the tray. Place it labelside up the recorded side facing down, and press its center until it clicks into place. To return to the normal screen, press H. The player automatically turns off in another 45 minutes. If a menu display appears when you press H In some DVDs and VIDEO CDs, a menu may appear when you press H. In VIDEO CDs, this function is called PBC Playback Control. For Asian models only The PBC functions of Super VCDs do not work with this player. To return to the menu display while playing a disc with PBC function Press O. To return to PBC Playback Press x twice, and press H. Doing so may cause a malfunction. To change the playing mode, sound effect, and display, or to use the DVD's menu. Settings and Adjustments You can select and change the settings of this player to meet your needs and to suit your playing environment. To change the languages used in subtitles, sound, or onscreen displays. To adjust the aspect ratio of the picture to fit your TV. To select the setting of the audio when connected to an amplifier. To set playback limitation levels such as to limit violent scenes. Press to adjust the volume of Sony TVs. Press to cancel the current mode. Refer to the instructions supplied with the DVDs and VIDEO CDs. PREV

during playback. My or m y during playback. Press the button r epeatedly to change the speed. T o return to normal playback, pr ess H. Functions only in the forward dir ection for VIDEO CDs. Press the button r epeatedly to change the playback speed. Selecting the playing mode B Y ou can play a selected title or track randomly or repeatedly. T o cancel the operation, press the following button r epeatedly to select "OFF" or press CLEAR. When you select Repeat Play during Shuffle Play, Shuffle Play is repeated.

Changing the sound C Y ou can change the audio language for DVDs recor ded with multilingual tracks. When listening to a Karaoke VIDEO CD, you can turn off the vocals. Y ou can also enjoy this player 's surround effect mode. In Super VCDs For Asian models only The number before the colon shows the number of the audio track being played. The imaging effect is as if you have three sets of additional speakers ar ound you. Changing the viewing angle and subtitles D Y ou can select picture angles if ther e are multiple pictur es angles recorded on the disc, or change subtitle languages in multilingual DVDs. T o Press change angles ANGLE repeatedly during playback to select the number of the angle you want to play. DVD only SUBTITLE repeatedly to select the subtitle language. DVD only When a 4digit number is displayed, check the number in the "Language Code List" on the Brown Side of this manual. T o cancel the subtitle, press SUBTITLE repeatedly to select "OFF." Using the DVD' s menu E When a menu is recor ded on the DVD, you can usually select items such as the title, audio language, or subtitles. T o display Press DVD' s menu TOP MENU or MENU. MENU Displays a menu of subtitles and audio languages. Displaying information on your screen F Y ou can display information such as the playing time or the disc text on the TV screen. T o return to the normal scr een, press DISPLA Y r epeatedly. Item Select OSD The language you want for the player 's menu and the Setup Display. The language you want for the menu recor ded on the disc. For a standard TV. Displays a wide picture to fit the width of the screen while keeping the same aspect ratio. For a standard TV. Cuts off portions of a wide picture in order to fit the width of the screen. LANGUAGE SETUP T o change the language setting. Refer to the list on the right for details. T o tur n off Setup Display Press DISPLA Y r epeatedly until the display disappears. Leakage current can be measured by any one of three methods.

The Data Precision 245 The "limit" indica tion is 0.75V, so analog meters must have an accurate low voltage scale. The Simpson 250 and Sanwa SH63Trd are ex amples of a passive VOM that is suitable. Nearly all battery operated digital multimeters that have a 2V AC range are suit able. See Fig. A Point them out to the customer and recommend their replacement. Recommend the Check leakage as described below. Soldering irons using a temperature regulator should be set to about 350 C. Caution The printed pattern copper foil may peel away if the Before disconnecting the connector, solder first. Before connect ing the connector, be careful not to remove the solder. Also take adequate measures to prevent damage by static electricity. Handle the flexible board with care as it breaks easily. See other manuals at the bottom of the first or last page. Size 106.1 KB Type PDF Document Service Manual Brand Sony Device DVD File dvppq1sm4.pdf Date 20181120. To get the full experience on Sony.co.uk, please change your settings to allow JavaScript. Can a DVD player purchased overseas be used locally or vice versa. Why does none of the listed manufacturer codes work to control a component. How to troubleshoot poor picture quality from a DVD player View All Find information and receive instant notifications about your product. Currently available only for selected countries. Manual and User Guide for many equipments like mobile phones, photo cameras, motherboard, monitors, software, tv, dvd, and others.

The Data Precision 245 Nearly all battery Point them Recommend the Before connect If you still You can enjoy the DVDs DTS, Dolby Digital, or You can enjoy the DVDs Dolby Insert the hook into Enter a new passwor d Also the standar d authorized If you leave the still video image or Wipe the disc These limits are designed If this equipment does Never use the plug If you should lose the fuse As the laser beam used in Recor d the serial number in the Refer to them whenever you Scenes that are

limited by Service manuals usually include printed circuit boards, block diagrams, exploded views, assembly instructions and parts catalog. Its invaluable source of information for everyone looking to repair their unit. You should look for Owners Manual. After placing order well send You download instructions on Your email address. Should any problem persist, consult your nearest Sony dealer. The picture is distorted. If you still experience problems after connecting this player directly to your TV, try connecting to the S VIDEO input of your TV, if it has one. The default setting is NTSC. To return to normal play mode, press CLEAR or press x twice. See the relative diagrams below to connect to an amplifier. You can enjoy the DVD's DTS, Dolby Digital, or MPEG audio sound. You can enjoy the DVD's Dolby Surround sound. Enter a new password and press ENTER. To confirm the password, enter the new password again, and press ENTER. Then press H. After entering a new password and pressing ENTER, repeat the entire procedure from step 1 of "Playing discs with playback limitations." Use of this copyright protection technology must be authorized by Macrovision Corporation, and is intended for home and other limited viewing uses only unless otherwise authorized by Macrovision Corporation. Reverse engineering or disassembly is prohibited.

You can also play discs with MP3 audio tracks recorded in multisession format a format in which data is added on to the disc only if an MP3 audio track is recorded in the first session. Conforms to 5.1ch surround mode. Also the standard authorized by the committee. MPEG2, used on the DVDs, conforms to up to 7.1ch surround. To disconnect the AC power cord mains lead, grasp the plug itself; never pull the cord. Should this occur, the player may not operate properly. In this case, remove the disc and leave the player turned on for about half an hour until the moisture evaporates. If you do, the speakers may be damaged when a peak level section is played. Do not use any type of abrasive pad, scouring powder, or solvent such as alcohol or benzine. It may cause a malfunction. If you leave the still video image or onscreen display image displayed on your TV for an extended period of time, you risk permanent damage to your television screen. Projection televisions are especially susceptible to this. Wipe the disc These limits are designed to provide reasonable protection against harmful interference in a residential installation. However, there is no guarantee that interference will not occur in a particular installation. This symbol is intended to alert the user to the presence of important operating and maintenance servicing instructions in the literature accompanying the appliance. The CLASS 1 LASER PRODUCT MARKING is located at the bottom of the player. Should the fuse in the plug supplied need to be replaced, a 5 AMP fuse approved by ASTA or BSI to BS1362, i.e., marked with Never use the plug without the fuse cover. If you should lose the fuse cover, please contact your nearest Sony service station. Before operating this player, please read this manual thoroughly and retain it for future reference. The advanced information on connection and settings, and additional information is given on this side Brown Side. To avoid electrical shock, do not open the cabinet.

Power cord mains lead must only be changed at a qualified service shop. Refer servicing to qualified personnel only. Record the serial number in the space provided below. I cannot change the subtitle language or cancel the subtitles. Disconnect the AC power cord mains lead, then connect it again. Scenes that are limited by this function may be blocked or replaced with different scenes. Please do not offer the downloaded file for sell only use it for personal usage. Looking for other manual For this no need registration. May be help you to repair. You could suffer a fatal electrical shock. Instead, contact your nearest service center. Note! To open downloaded files you need acrobat reader or similar pdf reader program. In addition, Also some files are djvu so you need djvu viewer to open them. These free programs can be found on this page needed progs If you use opera you have to disable opera turbo function to download file. If you cannot download this file, try it with CHROME or FIREFOX browser. Translate this page Relevant POWERSUPPLY forum topics SONY PSP 3004 Jo napot Kollegak! Ehhez konzolhoz keresek service manualt! A tulaj8eves le ejtette. Kb.fel percig van kep es hang,de aztan a kep megszunikhatter feny sincs! Koszonettel Tomi Sony PSP 2003 Nem kapcsol be Udv mindenkinek! A fenti jatekgep bekapcsolas utan zold led vilagit, de a rendszer

nem tölt be. Előeleteről nem tudok semmit így kaptam. Akku nincs hozzá csak töltő. Ha kapnak valami utbaigazítást köszönettel venném. Sony VPLPX31 projektor képe hibás sárga a képe. Sziasztok! Kaptam egy ilyen projektort a mi nap. Egy kis hibája van, a kép kb 30% eróziós sárga. Szét szedve az egyik LCD modulon látszik ugyan az a mintázat ami a képen is látható olyan mint ha a szeleink befolyt volna valami. Két üveg lap között van ezt szétbontani tovább nem lehet. Lehet hogy én keresem rosszul az alkatrészt, mert nem találok hasonló alkatrészt hozzá. Ebből az alkatrészből 3 darab található egy prizma előtt.

Kérném aki tudja a pontos nevet az alkatrésznek árulja el nekem. Ha van valakinek ilyen bontott, szívesen megvásárolnám! Az alábbi képen csatoltam hogy erre hasonlít. De amint lesz időm lefenykepezem az enyémbe milyen lakik. Udv István Sony PS2 SCPH39001 tap nem indul Sziasztok! A SM keresőben van a készülékről rajz, de a tap nincs benne. Tudna valaki segíteni tanáccsal, vagy rajzzal. Tapasztalat idáig Kondik, felvezetek jók. Ha szkoppal ramerek a 1431 típusú felvezetolabara, egy pillanatra beindul minden esetben, majd kikapcsol, és megjelenik a szekunder oldalon a 12V körű feszültség. Jó volna erről 1431 is tudni valamit, de ezt sem találtam. Köszönettel. Attila Similar manuals You can write in English language into the forum not only in Hungarian. See compatible TVs Support Support Support My Sony Community Stay informed with a Sony account to get news, offers and promotions. Sign up now Hi My Sony Sign in Favourites My Products Register a new product My Account Details Newsletter Preferences Community Favourites Sign out Favourites Search Sony Sony Sites Search Sony To get the full experience on Sony.co.uk, please change your settings to allow JavaScript. Some information may not be available e.g. manuals, specifications. But what's the exact difference between smart TVs and Sony's Android TVs. And why does it matter when it comes to apps. All Sony certified spare parts and accessories are made available via our online authorised service partner EET Europarts. EET covers a vast range of How can I find my TV model name and serial number. For an optimal journey on the Sony Support website, it's important to search for your specific product. Your product page is the best access point for loads of information. Every TV model has an individual model Why is it important to use the correct supplied USB cable with my product. Most Sony products that are supplied with a USB cable are catered to function with your specific product.

Using a different cable might be the reason why your product isn't functioning optimally. If you use an analogue cable, please refer to this article. If you have a smart TV, always How to test if a remote control is sending an Infrared IR signal NOTE This Answer is for infrared remote controls with the IR mark. The IR mark is not on Android TV remote controls released in 2016, but they are nonetheless infrared remote controls. An IR Remote Control How to troubleshoot a remote control that quits working or does not work properly. Follow these steps to troubleshoot a remote control that quits working or does not work properly. IMPORTANT If model specific information is required to complete any of the steps in this solution, refer to the Load More Find information and receive instant notifications about your product We recommend downloading and installing the latest version of one of the following browsers Our site is not optimized for your current browser.