



File Name: canon a520 user manual pdf.pdf

Size: 2673 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 26 May 2019, 19:11 PM

Rating: 4.6/5 from 681 votes.

Status: AVAILABLE

Last checked: 7 Minutes ago!

In order to read or download canon a520 user manual pdf ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[❑ Register a free 1 month Trial Account.](#)

[❑ Download as many books as you like \(Personal use\)](#)

[❑ Cancel the membership at any time if not satisfied.](#)

[❑ Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon a520 user manual pdf . To get started finding canon a520 user manual pdf , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

canon a520 user manual pdf

This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Access your account, or create a new account, click here to get started. Figures for Movie Mode represent total capacity of SD Memory Card. Individual clips are limited to 3 minutes 30 seconds maximum at 640 x 480 resolution. File sizes and resulting number of shots given above will vary depending on the subject, shooting conditions and shooting mode. Direct connection to Canon CP Printers and select BJ Printers via cameras USB cable no computer required. Use flash at every fourth shot. Turn camera off and on after every eight shots. LCD brightness setting by Factory default. Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size

The Product purchased with this limited warranty is the only PowerShot Digital Camera to which this limited warranty applies. Warranty exchange or replacement does not extend the original warranty period of the Product. The sole warranty, if any, with the respect to such nonCanon brand items is given by the manufacturer or producer thereof. This limited warranty covers all defects encountered in normal use of the Products, and does not apply in the following cases A Canon Customer Care representative will attempt to diagnose the nature of the problem and correct it over the telephone. If the problem cannot be corrected over the telephone, you will be asked to follow the applicable procedures for MAILIN SERVICE. Note that a dated proof of purchase is required at the time of service. MAILIN SERVICE is a program under which your Product is repaired by a Canon U.S.A. or a Canon Canada authorized service center for the Product. You will be given the name, address and phone number of an authorized service center. <http://andrelandberg.com/userfiles/dv-parikh-3-manual.xml>

- 1.0.

It is your responsibility to properly package and send the defective Product, together with a copy of your dated proof of purchase, a complete explanation of the problem and a return address to the authorized service center at your expense. Do not include any other items with the defective Product. The Product covered by this limited warranty and proven to be defective upon inspection will be repaired and returned to you without charge by the authorized service center. Any Product received by the authorized service center that is not covered by the limited warranty will be returned unrepaired, or at the discretion of the authorized service center, you may receive a written estimate of repair at such cost as the service center may establish from time to time. Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store Provides uninterrupted power for shooting or downloading. Effectively doubles the flash range of the camera. Comes with mounting bracket. The cable connects to your camera and to the USB port on your PC or MAC Computer. Comes standard with the EOS 1Ds Mark III, 1D Mark IV, 1D Mark III, 1Ds Mark II, 1D Mark II N, 1D Mark II, 5D Mark II, 7D, 5D, 50D, 40D, 30D, 20D, 10D, Digital Rebel XTi, Digital Rebel XT and Digital Rebel. Please see Compatibility tab for compatible models. Four pieces of weight, plastic pins and weight securing screws are included in the WWDC1 package. We have 10 Canon PowerShot A520 manuals available for free PDF download User Manual, Manual, Software Starter Manual, Software Manual, System Map, Quick Start Manual. What Can ImageBrowser Do. 4 Guide to the ImageBrowser Windows. 5 Chapter 2 Downloading and Printing Images Downloading Images to Your Computer. 7 Printing Images. 10 Chapter 3 What You Can Do with a Camera Connected Camera Control Window. These files are automatically copied to your

computer when ImageBrowser is

installed.<http://www.internet-trade.cz/UserFiles/creda-sensair-tumble-dryer-manual.xml>

This section briefly introduces the purposes and features of the two main windows for operating ImageBrowser. Camera Control Window The Camera Control Window is the window that automatically opens when you connect a camera to the computer or insert a memory card into a memory card reader. This is a contextual menu. In ImageBrowser, you can access many useful functions through contextual menus. Mac OS X v10.1 Start Image Capture. Close Image Capture. Auto Start The Camera Control Window will open when the camera and computer are connected with the interface cable. Chapter 3 explains in greater detail how to selectively download images from the camera or a memory card and how to perform tasks such as changing the file destination. Color space settings are only available on select camera models. The Layout Options dialog will close. This will download all images that have not previously been downloaded. Changing the Auto Downloading Settings To change the download image type or destination folder, set the Default Settings. The image will be saved. To change the file name, set the text characters for the file prefix and the. Selects whether the image border, file name and image number are shown or hidden. Changes the size of the image thumbnail tiny version. The startup image for the camera and sounds such as the startup sound, the shutter sound, operation sound and the selftimer sound are collectively referred to as the My Camera. My Camera Settings that are already on your computer display here. When you select a startup image, it will be displayed in the preview area to the right. This concludes the procedure for adding settings to the camera. See your Camera User Guide for instructions on changing the startup image, startup sound and other settings. The selected file will appear in the Computer list. The newly added settings will appear here. Select the setting you would like to copy from the Camera list.

If you want to print RAW images, you need to convert them first, then copy them to the camera and perform this operation. Use the arrows to select the number of copies that you want. You can add a comment to an image by clicking to place a check mark here and inputting text in the box below. How to select a folder Clicking a folder in the Explorer Panel section displays the images it contains in the Browser Area. This section explains how to do it. Three Display Modes The three display modes for the Browser Area are the Preview mode, List mode and TimeTunnel mode. You can change the thumbnail size. How to open an image In the Browser Area, doubleclick the thumbnail of the image that you want to open. The image appears in the viewer window. Viewer Window ImageBrowser Software User Guide REFERENCE. Example of a 4Image Display Currently selected image. Although it is presented earlier, in this section we reintroduce the methods for selecting images in the Browser Area as one of the basic image management procedures. Selecting a Single Image Click an image to select it. What is a Star Rating. Keywords A keyword is information used to perform searches on images. Select a keyword that matches the image content from the keywords in categories such as People, Places, or Events. Select the Star Ratings of the images that will be copied or moved. Renaming Images Click the name of the image that you want to rename. After a moment you can type the new name of the image. A list of images found by the search will display. You can move or copy images between folders by displaying different folders in two Browser Windows, then dragging images from one Browser Window to another. Select an image to delete. This is useful for images taken by holding the camera vertically. How to create a folder In the Explorer Panel Section, click the disk or folder in which you wish to create the new folder. Drag to specify the cutout dimensions.

You can change the You can also specify cutout display magnification. To overwrite the original with the edited image, save the new file with the original file name in the file save dialog box. This section describes how to perform this operation. This section explains how to create email with image or movie attachments. How to send an image by email In the Browser Area, select the image that you

want to send. The last window appears. Save the image and select whether you want to start your email program. Save the image and place a checkmark here if you want to start your email program. A warning message displays when Click here to check an image the file size is large. Export Options The following types of image export options are available. Changes the image Changes the image file size. format. Destination Folder Calculates the post Changes the conversion file size. Input a screen saver name. Setting up a slide show First, you need to specify how to run the slide show. The Layout Options dialog and Print window will open. The Layout Options dialog closes and you can now change the layout and print settings in the Print window. The Edit Caption window appears. Type your caption and specify the font and its size, as well as any styles that you want. A window where you can type text appears. Type your text and specify the font and its size, as well as any styles that you want. The Edit Header window appears. Type your text and specify the font and its size, as well as any styles that you want. The Print dialog will open. You can paste the printed pages together after printing to create one large print. How to use TimeTunnel You can perform the following operations in TimeTunnel display. Click to display the tool panel. You can download movie files and display them in the Browser Area just like ordinary images. The movie thumbnail and movie icon will show in the Browser Area. You can play the movie displayed at the larger size by clicking the controller beneath it.

Editing Movies Select a file movie or still image to edit in the Browser Area. Adds images Rotates the selected image. You can set the playback range start and stop points for a movie by selecting it and clicking this button. When you link a sound file using this procedure, a bar appears under the thumbnail in the storyboard area indicating the duration of the audio file. However, the RAW format is a special file format and RAW images cannot be opened or processed in their native format in standard image processing programs. See the Features of the Image Quality Adjustment Window on the following page for details. Adjusts the white balance by the light source or color temperature, etc. Adjusts the exposure compensation, photo effect, contrast, saturation and sharpness. This section describes how to use this program to stitch images. It allows the output of the image pixels from a digital camera without any deterioration in the quality of the image. Some cameras might not support this file format. This section explains the main features that can be adjusted in the Preferences dialog. Opening the Preferences Dialog Use the following procedures to open the Preferences dialog. Thumbnail Cache Dialog When you select a folder from a peripheral, such as a CDROM or CDR, in the Explorer Panel Section, ImageBrowser creates a file in a predetermined folder for the thumbnail displayed in the. You may download and use the Content solely for your personal, noncommercial use and at your own risks. Canon shall not be held liable for any damages whatsoever in connection with the Content, including, without limitation, indirect, consequential, exemplary or incidental damages. You shall also not and shall not let others reproduce, modify, reformat or create derivative works from the Content, in whole or in part. PRINTED IN JAPAN DIGITAL CAMERA User Guide Next Page 3 Flowchart and Reference Guides Symbols Used Items marked with are lists or charts that Slow Shutter.

38 Page 5 Table of Contents Please Read. Test Shots. Before you try to photograph important subjects, we highly recommend that you shoot. Page 7 Read This First. Camera Body Temperature. If your camera is used for prolonged periods, the camera body may become. Page 8 Read This First. Safety Precautions Page 9 Read This First Page 10 Read This First Page 11 Preventing Malfunctions Read This First Page 12 Speaker Read This First Page 13 Viewfinder Read This First. Preventing Malfunctions. Avoid Strong Magnetic Fields. Never place the camera in close proximity to electric motors. Page 14 Dial Components Guide Shooting Mode Dial Indicators Page 17 Status Preparing the Camera. Installing the Batteries When the upper indicator blinks green, do not. Insert two AA size alkaline batteries supplied. Page 18 Slot Cover Preparing the Camera. Proper Battery Handling z Be careful to load the batteries with their. Page 19 Formatting Preparing the Camera Page 20 Preparing the Camera. Installing the Memory Card To remove the memory card Page 21 Preparing the

CameraPage 23 Language Preparing the Camera. Memory Card Handling Precautions different temperature zone and allow it to adjustPage 25 Preparing the Camera. Setting the Language 4 Select a language. Use this feature to select the language for the. Page 26 Preparing the Camera. Using the LCD Monitor. The LCD monitor can be used to compose images while shooting, adjust menu. Page 27 Preparing the Camera. Icons Displayed in Shooting Mode PowerShot A520Playback ModeIcons Displayed in Playback Mode The following information may also appear withTurning the Camera On 1 Press the Power button again. Page 33 Wide angle Basic Functions. Power Saving Function z Display Off only in shooting modeThis. Page 34 Basic Functions. Switching between Shooting and Shooting Mode. Playback z Slide the mode switch to.See Functions Available in Each Shooting Mode 4 Use the zoom lever to achieve theShooting with the ViewfinderYou can save power by turning the.

Changing the Image Display z Another shot can be taken by pressing the. Using the Mode Dial Image Zone. Settings fitting the shooting conditions of your subject can easily.Changing the Resolution and or z The resolution is set to M1 1600 x 1200 and.Digital Zoom 4 Press the zoom lever toward.Continuous Shooting 5 Press the shutter button all theFoliage Snow Beach FireworksPostcard Print Mode z You can shoot the image right after selectingDisplaying Images Individually z Press the DISP.Images can be magnified up to approximatelyThe display can be advanced or set back 9 Viewing.Selecting Menus and Settings. Selecting Settings with the FUNC. Button Shooting Mode Only. Selecting Settings with the MENU ButtonMenu Settings and Default SettingsCustomizing the Camera My Camera Settings. You can select the theme, startup image and sound, operation. Resetting the Settings to Default z The following settings do not reset to. Using the Mode Dial Creative z If the LCD monitor is on. Zone the shutter speed.Use the program AE mode to have the camera.The aperture adjusts the.Modes using the orSwitching between Metering 1 SelectAdjusting the Exposure z You can check the results of the compensation. Adjusting the Tone White For recording under daylight. Balance fluorescent, or daylightChanging the ISO Speed z Higher ISO speeds increase the image. Changing the Photo Effect 2 Select the photo effect using theAdjusting the Flash Output When the flash output is low, less shadow. Shooting HardtoFocus Subjects Shooting with Focus LockRotating Images in the Display z The display will return to the Play menu. Attaching Sound Memos to 3 Select Record using the or. Image button and press the.Page 100 Print Settings Various Functions. About Printing. Images shot with this camera can be printed using one of the following methods.DPOF Print Settings Selecting Images Singly. You can select images on a memory card for 1 In the. Page 103 Print Style Various FunctionsPage 105 Various Functions.

Set the print style after selecting the image to. Page 106 Downloading Images to a Computer Various FunctionsImage Transmission SettingsPressing the DPOF. Page 107 Computer System Requirements Various Functions. Selecting Images Singly z You can switch to index playback 9 imagePage 108 Various FunctionsWindows Windows Windows WindowsOS Mac OS X v10.1.5. Page 111 Direct Transfer Various FunctionsPage 112 Various Functions. Windows If the events dialog fails to appear, click the. Page 113 Downloading Images Various Functions. Using the software and computer to download Transfers and saves to theConnecting the Camera to the Downloading from a Memory Card. Computer to Download ImagesPage 116 Various Functions. Viewing Images on a TV Set 3 Plug the other ends of the AVPage 119 Various FunctionsMy Camera. Page 120 Various Functions. Registering My Camera Settings Registering the Memory CardImages recorded onto the memory card and. Page 121 Various FunctionsCamera Settings 11.025 kHz 8.000 kHz. My Camera. Page 123 List of Messages. The following messages may appear on the LCD monitor.RAW You attempted to play back a RAW image.Page 125 TroubleshootingThe camera will not Power is not turned on.The camera will not Memory card is full.Page 127 Troubleshooting. Batteries consumed Batteries are not the right type.Sounds come from The camera's vertical and horizontal z The mechanism for detecting the camera'sPage 129 Rechargeable Batteries Troubleshooting. Subject in

recorded Insufficient light for shooting. Page 130 Troubleshooting. White dots or white Light from the flash has reflected off z This is a phenomenon that occurs with. Page 131 AC Adapter Appendix. Using the Power Kits Sold Separately Although four batteries are supplied with the Page 132 Using the Lenses Sold Separately Appendix Page 134 Conversion Lens Adapter Appendix Page 135 Appendix Page 136 Appendix. Conversion Lens Adapter LADC52F 3 When the mark on the camera. This separately sold adapter is required for and.

Page 137 Replacing the Date Battery Appendix Page 138 Appendix. Using an Externally Mounted z The HighPower Flash will not fire when the. Flash Sold Separately shooting mode dial. Page 139 Maintenance Appendix. Page 140 Appendix Page 141 Appendix. Camera Care and Maintenance Never use water, paint thinner, benzene, or. Use the following procedures to clean the. Page 142 Specifications. All data is based on Canon's standard testing methods. Subject to change without notice. Shutter Speeds z The shutter speed varies according to the shooting modes. Self timer Page 145 Recordable Images Specifications Page 146 Specifications. Battery Performance Test Conditions. Page 147 Specifications. Memory Cards and Estimated Capacities Recordable Images PowerShot A520 PowerShot A510 Page 149 Specifications. Supplied with the separately sold NiMH Battery Supplied with the separately sold. Page 150 Specifications. Compact Power Adapter CAPS800 SD memory Card. Supplied with the separately sold AC Adapter Kit Interface conforming to SD. Page 151 Specifications. Wide Converter WDC52 Sold Closeup Lens 250D 52 mm Sold. Separately Separately Page 152 Specifications. Teleconverter TCDC52A Sold Conversion Lens Adapter LADC52F. Separately Sold Separately Page 153 Photo Tips and Information. This section offers photography tips. Page 155 INDEX. A Continuous Shooting. 48 AC Adapter Kit. 131. AF Frame. 81 D. Aperture Value. Page 156 INDEX. Flash. 42 CloseUp Lens. 133. Focal Length. 132, 133, 149, 150 Conversion Lens Adapter. 134. Focus. Page 157 INDEX. Metering Auto Play. 96 Resetting the Settings to Default. 75 Startup. Resolution. 40 Image. 74. Ring Release Button. 12 Sound. 74. Page 159 Functions Available INDEX Operation is subject to. Page 161 Functions Available in Each Shooting Mode. The following chart shows the functions and settings available in each Shooting mode. Page 163 Refer.

You may find documents other than just We keep our list of direct Canon driver and firmware links up to date so they are easy to find when you need them. The manual is automatically downloaded on the desktop or in the file downloads of your computer. The same way is also possible if you prefer to search by choosing the menu Brands. To view the documents, you must have Adobe Reader installed on your computer. To download free the most recent version of this software click [here](#).