



File Name: canon powershot g12 manual.pdf

Size: 2854 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 17 May 2019, 13:39 PM

Rating: 4.6/5 from 668 votes.

Status: AVAILABLE

Last checked: 13 Minutes ago!

In order to read or download canon powershot g12 manual ebook, you need to create a FREE account.

[**Download Now!**](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with canon powershot g12 manual . To get started finding canon powershot g12 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

canon powershot g12 manual

This particular manual has of table of contents that is three pages long itself so you know it does have a lot of valuable information contained in it. If you are anything like me, you are not initially interested in spending a few hours reading through your G12 camera manual. The reality for most people is that you dont need to study it like a textbook, but a quick read through will really give you an idea of all your Canon G12 has to offer. Modern digital cameras have an enormous amount of technology builtin and it makes no sense to buy a camera and not take advantage of all of its features. There are also some great nonCanon produced guides available for The Canon G12 written by professional writers so they well organized and are easy to understand. Some user guides are poorly written but are still very valuable in getting a quick feel for what settings are available and how to make a few quick adjustments. The best feature of the G12 manual is the two pages before the table of contents. Page 4 gives you about 20 of the most popular types of subjects you may be interested in shooting along with the pages covering that topic. Page 5 gives you a quick list of options for Viewing, Video, Printing and Saving and the corresponding pages to visit in the manual. These two pages of the G12 manual provide a nice shortcut to tracking down these things without having to search within the full table of contents that follows. Free Canon G12 Manual PDF Link You can view or download the manual and judge for yourself. You may also be interested in reading thoughts about the Canon G12 camera itself. The manuals do a good job of explaining every single camera setting and what every dial and button does. They are not exciting to read, but they are a great way to learn about all of the capabilities of your camera. When you discover a new G12 function, it may give you an idea for a photograph to try.<http://fluffy-chins.com/images/jue-75a-manual.xml>

- **canon powershot g12 manual, canon powershot g12 manual pdf download, canon powershot g12 manual pdf, canon powershot g12 manual english, canon powershot g12 instructions, canon powershot g12 user manual, canon powershot g12 instruction manual, canon powershot g12 service manual, canon powershot g12 digital camera manual, canon powershot g12 manuale istruzioni, canon powershot g12 manual, canon powershot g12 manual, canon powershot g12 manual download, canon powershot g12 manual, canon powershot g12 manual download, canon powershot g12 user manual.**

Sometimes the best ideas for a unique photo can come from just an ordinary technique. Read more about him on the About Page. He also publishes how to articles and camera gear reviews at the Photography Tips website. View some of Bruces photos on Instagram and Flickr. Join the Tribe YouTube. Visit the Canon Geek FaceBook Group. Bruce runs photo workshops and provides 1 on 1 digital photography coaching. Look no farther. Heres what you need to know. The good, the bad, and the ugly of the Powershot G12. Best way to Get The Most From Your G12 It could very well be the Best Canon Powershot G12 Guide I promise to use it only to send you Canon Geek Newsletter. My goal is to provide useful information and sometimes I recommend products that I believe will help you with your photography, but there are no guarantees. I have used some, but not all of these products personally. There are simply too many millions for one person to try. I base my recommendations on the usefulness of the product, other photographers feedback I gather, as well as my personal experiences with photography equipment since 1969. Yes, Im that old! THANK SO MUCH! Bruce DISCLOSURE STATEMENT Thank you for supporting the Canon Camera Geek website. This page may include affiliate links. When you click on any of these types of links on

CanonCameraGeek.com and decide to buy something on Amazon, ShareASale, Adorama, Ebay, Ejunkie or other similar affiliate sites, CanonCameraGeek.com may receive a commission on the sale. It doesn't cost you a penny. It is a way that I receive some financial compensation. I provide free content on this site. If there is a problem with the camera while abroad, please return it to the country of sale before proceeding with a warranty claim to a Canon Customer Support Help Desk. For Canon Customer Support contacts, please see the customer support list supplied with your camera. Chapters 4 onward explain the advanced functions, letting you learn more as you read each chapter. <http://51hangkou.com/userfiles/1607498910.xml>

Checking the Package Contents.2 Read This First.3 What Do You Want to Do.4 Table of Contents.6 Safety Precautions.9. The latter part of this chapter explains how to shoot and view movies and transfer images to a computer.Be sure to charge the battery as it is not charged at the time of purchase. CB2LZ CB2LZE To protect the battery and prolong its life, do not charge it for longer than 24 hours continuously. Some cards may not operate properly depending on the brand of card used. Depending on your computer's OS version, SDXC memory cards may not be recognized when using a commercially available card reader. Check to make sure that your OS supports this function beforehand. SD, SDHC and SDXC memory cards, and EyeFi cards have a writeprotect tab. Removing the Battery and Memory Card Approximate Number of Shots per Memory Card Memory Card. You can check the number of shots that can be taken when the camera is in a Shooting mode p. 24. Adjusting the Screen Position Adjust the position of the screen Approx. Since the dates and times recorded into your images are based on these settings, be sure to set them.What if the clock appears when the m button is pressed. The clock will appear if too much time passes between pressing the m button and the n button in Step 2. If the clock appears, press the m button to remove the clock and repeat Step 2. Formatting initializing a memory card erases all data on the memory card. As you cannot retrieve the erased data, exercise adequate caution before formatting the memory card. Be careful when transferring or disposing of a memory card. When disposing of a memory card, take precautions such as physically destroying the card to prevent personal information leaks. The camera can also detect and focus on faces, setting the color and brightness to optimal levels. Focus range approx. Zoom bar Turn on the camera. The scene icon p. 198 that appears on the screen may not match the actual scene.

Pressing the l button while turning on the camera power will turn off all sounds except for warning sounds. Switching to Shooting mode Pressing the shutter button halfway while in Playback mode switches the camera to Shooting mode. The last image you took will appear. Please note that erased images cannot be recovered. Exercise adequate caution before erasing an image. Shooting Movies The camera can automatically select all settings so that you can shoot movies just by pressing the shutter button. However, operation sounds will be recorded and the movie may appear coarse.If you are already using software included with another Canonbrand compact digital camera, install the software from the included CDROM, overwriting your current installation. Transferring Images to a Computer for Viewing Install the Software.Click on the task bar. Double click Transfer and View Images You can transfer images even without using the image transfer function in the included software by simply connecting your camera to a computer. Do not use electrical transformers for foreign travel as they will cause damage.Some accessories are not sold in some regions, or may no longer be available.The Off Camera Shoe Cord OCE3 is supplied with this bracket.This product is designed to achieve excellent performance when used with genuine Canon accessories.Shooting Display 1 Playback No Information Display You can also switch the display by pressing the l button while the image displays right after shooting. The available options for the menu item appear in the lower part of the screen.The menu items are organized under tabs, such as for shooting 4 and playback 1.Muting Sounds You can also mute camera sounds by holding down the l button and turning on the power. Adjusting the Volume Display the menu.Are there functions that cannot be reset.As you cannot retrieve the erased data, exercise adequate caution before formatting the

memory card.

When stopping low level formatting, the data will be erased but the memory card can be used without problem. What if the indicator blinks orange and a flashing When you press the shutter button halfway in low light conditions where camera shake is likely, the indicator will blink orange and a flashing screen. The images may appear coarse, however, depending on the recording pixel setting p. Once inserted, however, they cannot be deleted. Be sure to check beforehand that the date and time are correctly set p. 19. You can insert and print the shooting date in images which do not have an embedded date and time as follows. Approximate Number of Shots That Can Be Taken in 8 Mode In 8 mode, the camera is continuously adjusting focus and exposure, rapidly depleting the battery. What if a smile is not detected. Smiles are easier to detect if the subject faces the camera, and opens their mouth enough to show some teeth when smiling. The camera will shoot approximately two seconds after it detects a wink. After choosing Even if your face is not detected after joining the subjects, the shutter will release approximately 15 seconds later. Shooting High Contrast Scenes High Dynamic Range The camera takes three successive shots of differing brightness, then selects and combines the areas with the best brightness into one image. AE stands for Auto Exposure. Shooting Closeups Macro You can shoot an object at a close distance or even shoot extreme closeups of it. Same aspect ratio as wide screen high definition televisions. Same aspect ratio as 35mm film. Same aspect ratio as the screen of this camera. If the aspect ratio is changed p. You can use the supplied software to adjust the image in any way you like with minimal loss in image quality. When JPEG images are recorded, the images are processed inside the camera for optimum image quality and compressed. However the compression process is irreversible, meaning that the raw data cannot be recovered once it has been compressed.

Moreover, the image processing results in a deterioration in quality. Make sure that you set the white balance under the light source of the actual scene you will shoot. If you change camera settings after recording white balance data, the tone may not turn out properly. However, the adjustments will be reset if Custom White Balance data is recorded. Neutral Tones down the contrast and color saturation for neutral hues. Sepia Sepia tones. Black and white. Combines the effects of Vivid Red, Vivid Green and Vivid Blue Positive Film to produce intense natural appearing colors like those. Shooting procedures are the same as when using the screen. The camera will automatically focus on subjects, but it will not detect and focus on faces. You can now recompose and shoot. This is called Focus Lock. This is effective for focusing on a specific point. Even if the subject moves, it will be tracked within a certain range. After locking the focus, the focal distance will not change even when you release your finger from the shutter button. Only three shots will be taken, even if you use Q p. FE stands for "Flash Exposure". Auto Exposure Bracketing AEB Mode The camera takes 3 continuous shots while automatically adjusting the exposure to standard exposure, underexposure and overexposure, in that order. Only three shots will be taken, even if you use Q p. Attach the camera to a tripod to prevent camera shake. Setting the Shutter Speed You can set the shutter to the speed at which you want to shoot. Safety Shift is disabled when the flash is enabled. You can also set the flash output with the following methods. However, it cannot be set with the r button when an external flash sold separately is attached. However, depending on shooting conditions the image may become coarse, or the colors may not come out as expected. Color Swap You can swap one color in an image for another when recording it. The specified color will be recorded.

Shoot Movies That Look Like a Miniature Model Miniature Effect You can shoot movies that look like moving miniature models. However, unnatural sound may result when used to record in locations with no wind. Focus. Sound will not play back. Display the first frame Previous frame Rewind if you hold down the m button. Next frame Fast forward if you hold down the m button. Display the last frame. Searching Images Using the Control Dial Turning the control dial will display images in a line

letting you quickly search them. You can also protect p. 136 or delete p. 140 images while filtered. Filters that do not have any corresponding images cannot be chosen. Filtered playback In filtered playback Step 2, you can view filtered images with “Quickly Searching Images” p. 126, “Viewing Slideshows” p. 129, and “Magnifying Images” p. If you keep the **qr** buttons pressed, you can fastforward through images. Press the **l** button to switch to the focus check display p. 44. A white frame will appear where the AF frame or face was when the focus was set. Displaying Various Images Smart Shuffle The camera will choose four images based on the displayed image. If you choose one of those images, the camera will choose four more images letting you enjoy the playing back of images in an unexpected order. If you play back images not supported by Smart Shuffle. White Yellow Yellow White What if the images don’t display correctly on the TV. Operation sounds will not play when connected to a highdefinition TV. Using a TV Remote to Control the Camera When you connect the camera to an HDMI CEC compatible TV, you can use the TV’s remote control to operate the camera and play back images or view slideshows. Protected images cannot be erased with the camera’s erase function. To erase an image, cancel protection settings first. Choose images. Choose a starting image. Since erased images cannot be recovered, exercise adequate caution before erasing. Protected images p. 136 cannot be erased.

You can also filter out just those images for viewing, protecting or erasing p. 127. If you switch Shooting modes or turn off the power before making the setting in Step 3, images will not be tagged as favorites. Rotating Images You can change the orientation of an image and save it. Also, when the overall image is lacking in contrast, the camera will automatically correct the image for a sharper impression. Canon Brand PictBridge Compliant Printers. These selection methods comply with the DPOF Digital Print Order Format standards. You cannot add images to the print list when the camera is connected to the printer. These selection methods comply with the DPOF Digital Print Order Format standards. The first part of this chapter explains convenient and commonly used functions. The latter part explains how to change shooting and playback settings to suit your purposes. Registering Recorded Images as the Startup Screen When you press the **1** button and set the camera to Playback mode, you can register an image. Register the startup image or sounds with the included software The dedicated operation sounds and startup images on the included software can be registered to the camera. Refer to the Software Guide for details. Changing the Lens Retract Time For safety reasons, the lens retracts about 1 minute after pressing the **1** button when in a Shooting mode p. Using the World Clock When traveling abroad, you can record images with local dates and times simply by switching the time zone setting. Changing Camera Settings Set the world time zone. If you use grid lines p. 170 to confirm that the camera is level beforehand, you can calibrate the electronic level more accurately. Resetting the Electronic Level Resets the electronic level to its default values. Turning Off the RedEye Reduction Function The redeye reduction lamp lights in order to reduce the redeye effect that occurs when shooting in dark conditions with the flash. You can turn off this function.

Changing the Way the Image Displays Right After Shooting You can change the way the image displays right after shooting. If you press the shutter button halfway and return to the shooting screen from the custom display settings screen, the settings will not be saved. Gray items can also be set, however, they may not appear depending on the Shooting mode. Image stabilization does not work when the camera is held vertically. Coupler Cable Cover Turn off the camera. This could erase images you have taken or damage the camera. Using Lenses Sold Separately When attaching the Teleconverter TCDC58D sold separately, you can take shots from even further away The lens changes the focal length of the camera body’s lens by a factor of 1.4x. At other zoom settings, the image will appear as if its corners have been cut off. Speedlite 220EX, 270EX, 430EX II, and 580EX II Attach the flash to the hot shoe. However, depending on the angle, the bracket may interfere with opening the LCD monitor. Back Component Front Component Attach Detach. Attach the flash to the conversion lens adapter. Flash exposure compensation and safety FE can also be set. For the optimal

aperture values and ISO speeds for the distance to the subject, refer to the guide number listed in the flash's user guide. Disabling Eye-Fi Transfer You can set the card to disable Eye-Fi transfer. If the items below do not solve your problem, contact a Canon Customer Support Help Desk as listed on the included customer support list. Power You pressed the power button, but nothing happened. List of Messages That Appear on the Screen. Subject When Moving Background Bright Backlit Including Blue Skies. Sound Options Set the sounds for each camera operation. Format Formats memory card, erasing all data File Numbering. Select Range Select All Images Clear All Selections Print Settings Content. Lensshift type Imaging Processor. Design rule for Camera File system, DPOF Version 1.1 Data Type Still Images. Exif 2.

3 JPEG, RAW CR2 Canon Original Movies. Movies MOV Image data H.264; Audio data Linear PCM Number of Recording Pixels Still Images. HiSpeed USB Direct Print Standard. PictBridge Power Source. Battery Pack NB7L Dimensions. 112.1 x 76.2 x 48.3 mm 4.41 x 3.00 x 1.90 in. Weight CIPA compliant. Approx. 401 g 14.1 oz. Including the battery and memory Battery Pack NB7L Type. Conversion Lens Adapter LADC58K Sold Separately Thread Diameter. 58 mm standard filter thread Dimensions Diameter x Length 63.8 x 51.6 mm 2.51 x 2.03 in.. You may download and use the Content solely for your personal, noncommercial use and at your own risks. Canon shall not be held liable for any damages whatsoever in connection with the Content, including, without limitation, indirect, consequential, exemplary or incidental damages. You shall also not and shall not let others reproduce, modify, reformat or create derivative works from the Content, in whole or in part. This page requires Javascript. Modify your browsers settings to allow Javascript to execute. See your browsers documentation for specific instructions. To install your download click on the name of the downloaded file. Figures for Movie Mode represent total capacity of the particular media. Subject to change without notice. Canon, DIGIC, ELPH, PIXMA, and PowerShot and SELPHY are registered trademarks of Canon Inc. Mac is a trademark of Apple, Inc., registered in the United States and other countries. Recommended Software File Name Date File Size Optional Software File Name Date File Size Recommended Manuals File Name Date File Size Optional Manuals File Name Date File Size The Product purchased with this limited warranty is the only PowerShot Digital Camera to which this limited warranty applies. Warranty exchange or replacement does not extend the original warranty period of the Product. The sole warranty, if any, with the respect to such nonCanon brand items is given by the manufacturer or producer thereof.

This limited warranty covers all defects encountered in normal use of the Products, and does not apply in the following cases A Canon Customer Care representative will attempt to diagnose the nature of the problem and correct it over the telephone. If the problem cannot be corrected over the telephone, you will be asked to follow the applicable procedures for MAILIN SERVICE. Note that a dated proof of purchase is required at the time of service. MAILIN SERVICE is a program under which your Product is repaired by a Canon U.S.A. or a Canon Canada authorized service center for the Product. You will be given the name, address and phone number of an authorized service center. It is your responsibility to properly package and send the defective Product, together with a copy of your dated proof of purchase, a complete explanation of the problem and a return address to the authorized service center at your expense. Do not include any other items with the defective Product. The Product covered by this limited warranty and proven to be defective upon inspection will be repaired and returned to you without charge by the authorized service center. Any Product received by the authorized service center that is not covered by the limited warranty will be returned unrepaired, or at the discretion of the authorized service center, you may receive a written estimate of repair at such cost as the service center may establish from time to time. Scroll down to easily select items to add to your shopping cart for a faster, easier checkout. Visit the Canon Online Store Required to connect the Tele Converter TCDC58D to your camera. Effectively doubles the flash range of the camera. Comes with mounting bracket. Effectively doubles the flash range of the camera. Comes with mounting bracket. The cable connects to your camera and to the USB port on

your PC or MAC Computer.

Comes standard with the EOS 1Ds Mark III, 1D Mark IV, 1D Mark III, 1Ds Mark II, 1D Mark II N, 1D Mark II, 5D Mark II, 7D, 5D, 50D, 40D, 30D, 20D, 10D, Digital Rebel XTi, Digital Rebel XT and Digital Rebel. Please see Compatibility tab for compatible models. Also allows for Remote Triggering of the flash. These protect the adapter threads of the camera. This Tele Converter requires Lens Adapter LADC58K to attach this lens to the PowerShot G10, G11 and G12 Digital Cameras. It will convert your focal distance to 196mm 1.4x. Comes standard with the EOS 1D Mark IV, 7D, 60D, Rebel T3i and Rebel T2i. Please see Compatibility tab for compatible models. Waterproof to 130ft/40m. Neck strap, Wrist strap and silicone grease included. For the PowerShot G12 and PowerShot G11. Four pieces of weight, plastic pins and weight securing screws are included in the WWDC1 package. Our payment security system encrypts your information during transmission. We don't share your credit card details with thirdparty sellers, and we don't sell your information to others. Please try again. Please try again. The main content contains the overall analysis of the equipment; introduction of camera arrangement; basic application; relevant shots; shopping guide and so on. Then you can start reading Kindle books on your smartphone, tablet, or computer no Kindle device required. Register a free business account If you are a seller for this product, would you like to suggest updates through seller support To calculate the overall star rating and percentage breakdown by star, we don't use a simple average. Instead, our system considers things like how recent a review is and if the reviewer bought the item on Amazon. It also analyzes reviews to verify trustworthiness. Canon Explorer David Noton was the first landscape photographer in the. Whoops! There was a problem loading more pages. Whoops! There was a problem previewing this document. Retrying. Download. Connect more apps.

Canon PowerShot G12 Camera User Manual, Instruction Manual, User Guide. Canon overhauled G11, and the new G12 represents a tweaking, relatively speaking. Canon continues to improve their popular G Series digital cameras with. DIY repair for Canon DSLR. I just wanted to buy a tool for disassemble a very expensive lens a Canon 85mm F1.2. I have a good old Russian lathe. Canon has unveiled several new cameras and camcorders, including its. As far as remote manual flash control goes, I think Canon has. Which camera should one choose between the Nikon P7000 and the Canon G12. What are the difference between American and Russian democracies. Japanese, Russian, Portuguese, Korean, Greek, Polish, Czech, Hungarian. Canon EOS manual focus lenses and adapters. The Canon EOS system bodies have no means to do this. Some Russian lenses also come in a T mount. The Canon 40 long size from Nemo Equipment has three pounds of 850 fill down. When I was briefly involved with a group of Russian polar adventurers back in the late. On warmer expeditions, or on day trips, I also carry a Canon G12. Download CANON PowerShot G12 user manual free. Kit; Canon PowerShot G12. Amazon.com Canon PowerShot G15 12MP Digital Camera with 3 Inch LCD. Canon G12 10 MP Digital Camera with 5x Optical Image Stabilized Zoom and 2.8. Japanese, Russian, Portuguese, Korean, Greek, Polish, Czech, Hungarian. I would like to have a upper class point and shoot like the Canon G12. Here are some amazing examples of landscape pictures mostly from Russian artists. English. Canon SX240 English. Canon S110 English. Canon A490 English. Canon has announced the Canon Powershot G12 prosumer compact digital camera, a successor to the popular Canon G11. The Canon G9 is my knockaround point and shoot camera. It has 12.1MP, a fast lens, does video and actually syncs well above its nominal sync speed of. As best as I can see, the G12 only allows you to shoot in RAW in manual mode. Canons Official Online Store. Canon PowerShot G12.

Simplified Chinese, Chinese traditional, Japanese, Russian, Portuguese, Korean, Greek, Polish, Czech, Hungarian, Turkish, Thai. Japanese, Russian, Portuguese, Korean, Greek, Polish, Czech, Hungarian, Turkish,. PU for Sony A7 A7R for Samsung NX3000 for Panasonic Canon G1X G10 G11 G12. Arabic; German; Russian; French; Korea; Japanese; Thai; Turkish; Spanish. View and Download

Canon PowerShot G12 user manual online. Canon Digital Camera User Guide. Canon PowerShot G12 Canon EOS 5D Mark III Canon EOS 7D. Canon G11 splash water sample image studio by Alex Koloskov. Looks pretty good. And, you can buy the new Canon PowerShot G12. The PowerShot G12 gives exceptional images with HS System and a premium Canon wideangle lens. Full Manual mode, RAW, Front Dial and optional Lens. CheatSheet Canon G12 Laminated Mini Manual Put one in your camera bag today. The Canon EOS Rebel SL1 100D has come a long way from the original. This is not a compact by any means, straying into Canon G12 territory, but with. Strato TTL versions for Canon, Nikon and Sony will be released during Q4. Russian, Farsi, Arabic. Phottix TR90 models are available for compatible Canon. Hi Pia, thanks for the comment. I would suggest a Canon point and shoot, like the G12. Meike LED Macro Ring Flash FC100 for Canon Nikon Pentax Olympus DSLR Camera. Shop from the worlds largest selection and best deals for Canon Camera Lenses. Shop with confidence on eBay. How to Fart in Russian 24 March 2011. Canon Powershot A3300is blue. Suit for Compatible with Canon G11 G12 as WPDC34 Package include 1x Waterproof Case for Camera 1x Hand strap 1x Arm strap 1x Oring 1x Waterproof. Reload to refresh your session. Reload to refresh your session. Canon PowerShot G12 employs the HS SYSTEM by combining a highsensitivity 10.0 MP CCD sensor and DIGIC 4 Image Processor delivers outstanding quality images and exceptional lowlight shooting capabilities.

The 5x 28140mm wideangle zoom lens Integrated with a higheffective Optical Image Stabilizer to capture sharp, blurfree images even in lowlight conditions without using a tripod. A 2.8inch Variangle PureColor LCD screen allows you to capture the perfect shot at any angle. The Smart Auto uses Scene Detection Technology to detect the appropriate scene from a possible 28, to obtain the best result. Other highlights include 720p HD movie recording, RAW image recording, multiple aspect ratios, High Dynamic Range, Electronic Level, Tracking AF, full manual control and a Front Dial to give you even more creative control than before. It was just photography. If a photographer didnt have a handle on the basics of aperture and shutter speed, shed produce a lot of discarded film. Now, thanks to the powerful computer in your camera, many of the decisions about how to balance those two factors are computed in milliseconds—but only if you choose. The other side of the Mode dial contains the Creative shooting modes, which offer the greatest amount of control over your photography. You can let the camera figure out the values automatically but with input from you; set the aperture manually and let the camera figure out shutter speed, or vice versa; or go back to the old ways and dial in your settings manually. Whatever your choice, its essential that you understand not only how to control these modes, but also why you are controlling them. So lets move that Mode dial to the first of our Creative modes Program mode. All rights reserved. Groups Discussions Quotes Ask the Author As the owner of the G12 you demand the ability to take outstanding pictures with your new camera, and As the owner of the G12 you demand the ability to take outstanding pictures with your new camera, and want to learn how quickly.