



File Name: comprodtv 4.5 manual.pdf

Size: 3564 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 20 May 2019, 14:55 PM

Rating: 4.6/5 from 831 votes.

Status: AVAILABLE

Last checked: 8 Minutes ago!

In order to read or download comprodtv 4.5 manual ebook, you need to create a FREE account.

[Download Now!](#)

eBook includes PDF, ePub and Kindle version

[Register a free 1 month Trial Account.](#)

[Download as many books as you like \(Personal use\)](#)

[Cancel the membership at any time if not satisfied.](#)

[Join Over 80000 Happy Readers](#)

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with comprodtv 4.5 manual . To get started finding comprodtv 4.5 manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

comprodtv 4.5 manual

This will help if you installed a wrong driver. Since the companys inception in 1992, the cornerstone of the companys success has been to introduce niche or highend. Optical or stereo audio inputs. Record high definition video at up. Please check your inbox, and if you can't find it, check your spam folder to make sure it didnt end up there. Please also check your spam folder. All drivers were scanned with antivirus program for your safety. Try upgrading the device drivers for this device. Code 10 The driver may be corrupted or missing. Code 39 This can be easily fixed by using driver update tool or by updating drivers manually. Download appropriate driver for Compro Technology VideoMate TV for your operating system from our website. Discover everything Scribd has to offer, including books and audiobooks from major publishers. Start Free Trial Cancel anytime. Report this Document Download Now Save Save ComproDTV 4.5 Eng For Later 0 ratings 0% found this document useful 0 votes 321 views 8 pages ComproDTV 4.5 Eng Uploaded by Muhammad Umar Description Full description Save Save ComproDTV 4.5 Eng For Later 0% 0% found this document useful, Mark this document as useful 0% 0% found this document not useful, Mark this document as not useful Embed Share Print Download Now Jump to Page You are on page 1 of 8 Search inside document. Watch and record TV shows and use other programs on your PC at the same time. Switch channels, grab single or several frames, tweak brightness, color, saturation, contrast, hue, sharpness, and other settings. Dowiedz sie wiecej w polityce prywatnosci. Opis oprogramowania ComproDTV 4.5 jest czesciowo po polsku. Modele kart do ktorych sa instrukcjeNo part of this document may be copied or reproduced in any form or by any means without the prior written consent of Compro Technology, Inc. Compro, VideoMate, Poladyne, Play with Power, and the Compro logo are trademarks of Compro Technology, Inc.<http://www.dressedupdogs.com/userfiles/7t92-seiko-manual.xml>

- **comprodtv 4.5 manual, comprodtv 4.5 manual pdf, comprodtv 4.5 manual download, comprodtv 4.5 manuals, comprodtv 4.5 manual transmission.**

Other names and marks are trademarks of their respective owners. Compro makes no warranties with respect to this documentation and disclaims any implied warranties of merchantability, quality, or fitness for any particular purpose. The information in this document is subject to change without notice. COMPRO reserves the right to make revisions to this publication without obligation to notify any person or entity of any such changes. MINIMUM SYSTEM REQUIREMENTS Your PC must meet or exceed the following system requirements to watch TV on your PC. 1.7 GHz Pentium IV or equivalent CPU for DVDQuality recording or timeshifting 512 MB System Memory Sound card. Open PCI Express x1 slot. CDROM drive for software installation. RECOMMENDED SYSTEM REQUIREMENTS To use all the features of VideoMate Vista E800F PCIe card, your PC should meet the following requirements. 2.6 GHz CPU with SSE 2 for HDTV watching and recording 3.0 GHz with SSE 2 for PIP mode with five windows. 1.0 GB System Memory Sound card Open PCI Express x1 slot. Note In order to receive digital terrestrial TV broadcast, you needs to have your own antenna which is crucial. Digital terrestrial TV broadcast uses about the same wave UHF as analog TV. Its recommended to have a fishbonelike antenna on the roof for receiving. More details can be found in the troubleshooting chapter of this manual. Digital TV broadcast is different than normal analog TV. You will see no picture instead of noisy or blurred picture when the signal is too weak. Make sure you have a good antenna and strong digital TV signal in your location. Hardware Installation Warning Unplug your PCs main power cord before installing VideoMate Vista E800F PCIe card. Failure to do so may cause damage to your VideoMate Vista E800F PCIe card and void

your warranty. 1. Shut down your computer and unplug main power cord. 2. Remove the computer case cover. Power Up Connections

3. <http://lorione.com/userfiles/7th-day-adventist-church-manual.xml>

Locate the ATX power switch pins on your computer case and trace the wires to the power switch connector on your mainboard. The ATX power switch cable is normally a twisted pair cable with a twopin connector as shown above. Note Double check your work. If you plug the cables into the incorrect pins, your PC may not start or otherwise function improperly. Connect the white end of the Power Up patch cable to the TV tuner card and the black end to the mainboard. Power Up Scheduling is not required for using VideoMate Vista E800F PCIe card. If you don't want to use Power Up Scheduling from the Windows Shut down state, you can skip the power switch circuit connections, in other words, you can skip Power Up Connections in steps 3 through 6. You can still use scheduled recording from Standby mode or powered on state. 7. Insert VideoMate Vista E800F PCIe card in an open PCIe slot. This completes the hardware installation. Please read the following notes and proceed to install the software. 8 Note For best performance, the VideoMate Vista E800F PCIe card should not share its IRQ. For more information, please see the Troubleshooting section. If the computer cannot be turned on, verify the position of the power patch cable on the mainboard. Consult the mainboard documentation to determine the position of the ATX power switch connector. Power Up will start your computer 5 minutes in advance of the scheduled recording time, for example, if you have set ComproDTV 4 to record a program at 4 o'clock, it will start your computer at 3:55. Therefore, you need to shut down the computer before 3:54 in order to let Power Up start the computer. Power Up from Windows Shutdown mode, i.e., ACPI S5 state, requires An ATX power supply in your PC. Motherboard support for PCI Express x1 in order to have 3.3V standby power. ATX power switch cable, which is a pair of twisted wires with a twowire connector, as shown to the right.

If you don't have the above items, you can still use PowerUp Scheduling with Windows Stand by mode, i.e., ACPI S3 state, if your system supports it. You can use VideoMate Vista E800F PCIe card without using Power Up Scheduling. If you don't want to use Power Up Scheduling from the Windows Shut down state, you can skip the power switch circuit connections. The ATX power switch cable is not polarized. Please press Cancel and go to the next step. Step 2. Insert the installation CD into your CD drive. Also choose your country for the country selection and then press OK. Step 7. It will ask you if you want to scan channels. Please select OK to start scanning. After channel scan is finished, please press OK and you are ready to enjoy. 10 Windows Media Center Remote for Vista E800F Compro VideoMate Vista E800F bundles the easytouse Microsoft certified remote control to controls the Windows Media Center and also ComproDTV, ComproFM software. This section explains the details. Integration of hardware and software support, you can start your computer from the shut down state by pressing a button on the remote keypad. You don't need to reach over to your computer anymore. You can also shut down the computer by remote control as well. No more mouse click on the screen. This feature converts your PC into a convenient home entertainment video appliance. Remote Power On Please put batteries in the remote control. Pressing the power button which is on the top of remote control, it will start your computer. See Hardware Installation section above for more information. There will be a two second delay before the PC powers on. You have to install the TV cards driver correctly before using this feature. This feature cannot logon your system. You may need to enter your user name and password. Remote Power Off There are two situations for this operation. Program will countdown 20 seconds to shutdown the computer. You may also use your mouse to press the cancel button.

Press OK to immediately shutdown the computer. When watching TV, i.e. ComproDTV 4 is running Just press the CLEAR button on the lowerleft corner on the remote keypad repeatedly, you will see the text on the screen turns to SLEEP OFF, SLEEP ON 30 MINUTES, SLEEP ON 1 HOUR, SLEEP

ON 2 HOURS, and SHUTDOWN. When the text shows SHUTDOWN, it will countdown 20 seconds to shutdown your computer. If you don't want to shutdown the computer, please press the CLEAR button again. Note Make sure you save all open files before using remote shutdown function. 14 ComproDTV Vista Gadget Tool for Vista The Compro gadget tool is designed to provide the more convenient TV experience in Windows Vista. It will be installed from the Compro installation CD, and you can delete and add it from gadget setup. UI Control DTV Gadget has three modes including Live TV mode, display playlist, and display scheduled list. The figure in below shows the playlist style 5 files and 3 empty items in list If clicking any files, the gadget will change to play mode from playlist mode, then playing the file you clicked. 15 Scheduler list mode This mode will display the top 5 of your current scheduled list, you can click any of the scheduled item and check the detail information of it. The last mode is schedule view which has two different parts. First, there is a table that has five rows; it means that schedule view will allow the first five schedules in the list. Second, if clicking the item, it will change to another part, which show in detail about the schedule you clicked. Clicking again will go back to first part. You can direct drag the gadget window to the other place out the sidebar and shows the bigger undock window to watch TV or playback recorded video files. Directly drag gadget windows out the sidebar and shows the bigger window Because undocked gadget lacks playlist, if you wants to play a file in undocked mode, you can drop a file into the window of gadget to play a file.

<http://granit-evolution.com/images/cambridge-electric-fireplace-manual.pdf>

in docked mode, you can also play a file by dropping a file into gadget The control of button in undocked mode is the same as docked mode. Pop Menu Click the right mouse button on the gadget window; it will open the pop menu for selection. You can return to last channel, autoscan available channels, select channel to watch from channel list, select video source, adjust audio volume, or snapshot TV screen. 16 Gadget Settings Settings of gadget have four parts included Capture device to select capture devices.when running gadget first time or having more than one device, this item is needed Quality setting to select recording quality Normal Quality Better Quality Best Quality Record folder a directory to place recorded files. Snapshot folder a directory to place picture. ComproDTV Windows Media Center AddIn ComproDTV AddIn is practical feature for Windows Media Center. It provides you the most userfriendly environment. After install Compro software at Vista, just click the Windows Media Center icon program library DTV AddIn, and you can enjoy Live TV at Windows Media Center. While this environment provide you some useful function shown as below, when the function is working on, the text will turn blue to red while your mouse cross over it Full Screen button To enable the full screen mode of live the TV window. Channel Scanning button To channel scan all the available channels. Record button To record the TV show to your hardware drive. Timeshifting button At Compro software will not forced to execute but let you control this function by yourself. Snapshot button It provides you the more instinct interface. As soon as you snap one shot, and it will be shown directly on the left and bottom corner of DTV AddIn for preview. 17 HID Human Interface Device for Compro Remote After you install the software, you can see the remote logo show in your system bar. Setup Step 1 Choose the type of your remote control.

<http://islamkennis.com/images/cambridge-latin-course-unit-2-teacher-s-manual-north-american-edition.pdf>

There are many type of remote from Compro, please select the remote picture as you have. Step 2 Choose one IR function you want to change. Step3 Set the IR dialog you want and press OK button. 18 Step4 Repeat setp1 to 3 to run all the changes. You can also set a whole new program of your remote control in some particular software or window. Repeat the step 1 to 4. Note If you have any Windows Media Center system in your PC, such as Windows MCE, Vista Premium, Vista Ultimate, this function can replace the windows remote control. HID can also combine the Compro software control in the MCE interface to make you more convenient. Please note that not all options are

available at all times, and may be grayed out or inaccessible depending on your hardware setup and TV services available. The following figure gives you the function of the button with Hot Key. Start ComproDTV 4 and watch TV After installation, just press the yellow button of the last line on remote or double click the ComproDTV 4 icon on the desktop you will be able to watch TV. Same as operating a normal TV set. Watch TV programs on your PC, in fullscreen mode or in a window. Channel up and down. Close ComproDTV 4 and even shutdown the computer with the full function remote control keypad. Options Press the Options button to open the Options dialog box. You can change detail settings of ComproDTV 4 here. TV Settings This option gives you the way to manually set the method of scanning TV programs. Select your choice here or use default channel table to do the scanning. Autoscans The first time you start ComproDTV 4, Autoscans will automatically scan for available TV channels for TV signals. You can rescan the channels at any time by pressing the Autoscans button. When Autoscans is finished, detected channels are automatically enabled 21. Channels, where a valid signal and marked with the green check mark could not be detected, are disabled and marked with a blank.

However, you can interrupt the scanning process by pressing the Stop button. After you are finished scanning for available channels, you may select OK to return to the display window, or customize the channel list according to your preferences, as described below. Channel Naming You can customize the channel names by doubleclick on the Description field of the channel you wish to rename. You can do more changes on the channels property by rightclick the mouse on the Description field of the channel you wish to edit. Using my favorite channel list You can click to select using my favorite channel list from option window. And exit the list by yourselves to makes channel switch more convenient. 22 Channel Surfing While watching TV, the channel surfing feature displays a 4x4 grid of channel images to give you an overview of available programming. Double click the channel screen can direct jump to the channel you want. Therefore, ComproDTV 4 in Vista E800F TV card supports up to 1 main DVBT channel windows, 3 sub channel windows, and playback recorded video file at the same time if available. Or watch 1 live analog TV show and playback recorded video file at once. Please see the following picture. Main window has all features while slave window has limited functions only. Doubleclick on the slave window can switch the TV program to the main window. Alignment Window button will put slave windows into main window which is convenient for you to watch multiple programs on full screen mode. The buttons on the upperleft corner slave window are Channel Up, Channel Down, Mute, Windows Alignment, and Close respectively. Slave window can be resized by mouse dragging lowerleft corner to any ratio. Advanced Multiple Video Display Mode ComproDTV 4 also supports 2 or above Compro products connect and watch it at the same time. If you have more than one Compro analog or digital TV cards and USB TV box, you can use it to watch the live TV from different devices.

However, you are only allowed to have one channel from the second tuner. Therefore, you can view total of five channels with main windows channel and three sub channels of the main window and another channel of the second tuner. Furthermore, you can also have another window to playback recorded file which now allows you to watch total of 6 windows at the same time. Note Running additional windows consumes more CPU usage. If CPU usage reaches 100%, then video lag will occur. Please reduce the number of windows. When main window changes the channel to another frequency, slave windows will move to available programs of another frequency. The slave window will show black if there is no additional program on this frequency. Slave window has no full screen mode. Please doubleclick on slave window to switch program with main window in order to do so. It is available to hear audio on multiple programs at the same time. You can mute or unmute the sound of slave windows at any time. However, main window audio cant be muted separately from slave windows. Video Desktop While watching TV, you may rightclick on the TV screen and select video on desktop or press the hotkey F7 to activate Video Desktop mode. This mode makes the video source as your desktop screen. It is similar with full screen but the desktop icons and taskbar will remain on

top. The following picture shows the TV on the desktop. RightClick Mouse Menu If using mouse to rightclick on the TV screen, you can see a menu pop up. There are many useful options for your convenience. 24 Zooming image If you would like to see more details on a certain part of a video image, you can press the mouse right button to drag a zone of the screen. You will see the zoomed image. Also you can press the mouse right button and move on the screen to shift the zoomed area of the image. Just click the mouse left button to resume normal mode. You can see the screen capture dialog as below.

You can setup to save it as jpg or bmp format in the ComproDTV option interface. And also setup the picture compress quality in jpg file. Vista E800F also support realtime hardware MPEG2 recording for better video quality. To instantly start recording. ComproDTV 4 starts recording the video source Press the Record button currently showing in the display window. It will save it to a file on your disk. If you already start recording, you still can click the record button to setup 30, 60, 90, and 120 minutes recording immediately. Thus, you can go out without worry about the record still ongoing. Press the Stop button to stop recording. ComproDTV 4 will save it automatically and show the file name on the screen. You can also use the schedule recording by press Schedule button control panel of ComproDTV 4. on Timeshifting Timeshifting temporarily saves the video to your hard disk for a specified period of time so that you can pause, replay, or skip commercials during live TV, without interrupting an ongoing recording session. Press the Timeshifting button and the Time Monitoring bar will appear. 25 You may also press the Advance for commercial skip and Replay for instant replay buttons on the control panel or remote control to navigate through the program. When you return to your seat, you can resume viewing the program from the point when you left. StraighttoDisc Click on the top left corner of the icon on the control panel and select StraighttoDisc. The Vista E800F TV card supports DVD formats direct recording in digital and analog TV. You can see the straighttodisc dialog as above. Format Display the recording format. Device Choose the DVDR device here. Erase Disk If the disc is rewritable and not empty, you need to erase it first. Start Burning Press this button to start burning disc. Stop Press the button on the control panel to stop burning. Cancel Press this button to exit the dialog.

Note You need to install the bundled Ulead DVD MovieFactory 5 SE software in order to have this feature. If you dont have Ulead DVD MovieFactory 5 SE in the package, then this model doesnt support it. ComproDTV will estimate your DVD capacity automatically. It will stop recording when it comes full. 26 ComproFM 2 Introduction ComproFM lets you enjoy FM radio programs on your PC. Listen to music or other programs while you work or browse the Internet. Note The hardware needs to have FM tuner in order to use ComproFM. This section provides basic information for ComproFM. For more details, please check the help file of ComproFM or the manual in the installation CD. Control Panel The following describe the ComproFM control panel functions, and tips for using ComproFM. You are welcome to www.WindowsUpdate.com website for the Service Pack update of Microsoft. VideoMate Vista E800F PCIe card can also works on Microsoft XP Media Center 2005. Make sure you have install driver correctly see below and DVD decoder like ComproDVD, NVDVD or WinDVD 6.0. For more information on MCE 2005, please check Microsoft website. Driver Installation The most common cause of problems with the TV Tuner Card is incorrect installation of the TV capture and TV tuner drivers. If you have problems watching, recording, or timeshifting live TV, please check the status of the drivers with Device Manager. If these drivers are not there, uninstalling and reinstalling the VideoMate Vista E800F PCIe card drivers can help. Reinstalling the drivers should fix this problem. 28 No digital broadcast signal In order to receive digital terrestrial TV broadcasts, an antenna is crucial. Digital terrestrial TV broadcast uses about the same wave frequencies as analog TV UHF. Its recommended to have a fishbonelike antenna see figure on the roof for reception. Make sure you position the antenna in the direction of the TV broadcast base. Adjust the position for the best reception.

Digital terrestrial TVs determined by government policy. The broadcast bases will be increased in order to cover the entire country. Please check the related government website for more information about the strength of digital terrestrial TV broadcast in your area. You can check how good the signal is in your location by performing a simple test. Please plug in the antenna into an analog TV set. Then check if this TV set can receive a good TV signal. If the picture is not clear, the digital terrestrial TV broadcast signal is about the same. The difference is when the program data is not sufficient, you may see a blank screen or the video will be scrambled. Note Digital TV broadcast is different than normal analog TV. Or you will have no TV picture at all. Why won't my PC start. Don't panic. The most common reason for this is because you connected the ATX power switch cable to the wrong pins on the mainboard. Verify the position of the power patch cable on the mainboard. Check the mainboard documentation to verify the position of the connector for ATX power switch cable. If that doesn't help, remove the TV card and restart your PC. If you still cannot turn the computer on, the problem is not caused by VideoMate TV. Recheck the ATX power switch cable connection. 29 My PC cannot shut down. In rare circumstances, the VideoMate Vista E800F PCIe card must be reset. Unplugging the AC power cord from the PC case for 10 seconds will reset the card. When you set up for scheduled recording, VideoMate Vista E800F PCIe card will issue the Power Up signal to the computer until ComproDTV 4 starts. If your computer cannot start ComproDTV 4 for some reason, the TV tuner card will try to wake up PC even while you shut it down. Unplug the main power cord to reset VideoMate TV card. You can shut down the computer normally after that. Other possible causes of this problem include 1. If you have a multiBoot system and ComproDTV 4 is not installed and running on the default OS.

Solutions Set the default OS properly or install ComproDTV 4 on the default OS. 2. There may be other, independent problems preventing Windows from starting normally. Solution Remove the VideoMate Vista E800F PCIe card and troubleshoot PC start up. Reinstalling ComproDTV 4 can help. Why does the remote control fail. The remote control sensor, which is plugged into the TV card, may be loose. Please unplug it and plug it in again. You should also check the batteries of the remote control. Do not use rechargeable batteries. Verify that the IR icon ComproRemote is in the system tray on the lower right corner of the screen. If you don't have ComproRemote on the system tray, start the following program C:\Program Files\ Common Files\VideoMate\ComproRemoteDTV.exe Then you should see the icon on the system tray. The IR icon should turn bright when you press buttons on the remote. If you see no response, please move your mouse cursor on the IR icon. Some devices may emit the IR signals. Please check if there are any microwaves or lights that may be doing this. And make sure as few cables as possible are crossing the IR receiver. Why are images scrambled. Please update the video and sound card drivers from vendors web sites. Make sure the driver for motherboard chipset is also up to date. The default drivers supplied with the Windows operating system are usually too old to operate correctly. If you still have problems, please install the latest ComproDTV 4 and driver from our website. Why can't I playback the recorded video. The usual reason for this problem is conflict with some CODEC software, such as Nimo, KLite, and Stormcodec. This kind of software forces applications to use their CODEC for play back. Therefore, the recorded file cannot be played 31 since an incompatible CODEC is being used for playback. Uninstalling the CODEC software will help. Also reinstalling DirectX usually solves the problem.

See our website for how to reinstall DirectX How can I record as a different video format. Digital program is a fixed MPEGII format file already. ComproDTV 4 can't change it and will save it into hard disk directly. Only Analog TV, Composite, SVideo, or component input video can be software encode to your choice of MPEG1, MPEG1, or MPEG4 video format. You can do that in the Record tab in Settings of ComproDTV 4. Contacting Compro Technical Support Before you submit an email for support, please check support FAQs on our web site. You can download the latest update from our website. Many issues should be solved on the newer version. When contacting Compro for technical support, please use the Compro support request form and provide as much of the requested

information as possible. Please write the details in order to determine the problem. And also provide the product serial number 15 digits numbers on the PCIE card. In order to solve the problem quickly, it is very important to provide as much detail as possible. Compro Technology, Inc. No part of this document may be copied or reproduced in any form or by any means without the prior written consent of Compro Technology, Inc. MINIMUM SYSTEM REQUIREMENTS 1.7 GHz Pentium IV or equivalent CPU for DVDQuality recording or timeshifting 512 MB System Memory Sound card. MCE Remote for Vista E600F TV Card Compro VideoMate Vista E600F bundles the easytouse Microsoft certified remote control to controls the Media Center and also ComproDTV, ComproFM software. Failure to do so may cause damage to your VideoMate Vista E600F PCIe card and void your warranty. 1. Shut down your computer and unplug main power cord. 2. Remove the computer case cover. Power Up Connections 9 3. Locate the ATX power switch pins on your computer case and trace the wires to the power switch connector on your mainboard. If you plug the cables into the incorrect pins, your PC may not start or function improperly.

10 Connect the white end of the Power Up patch cable to the TV tuner card and the black end to the mainboard. Power Up Scheduling is not required for using VideoMate Vista E600F PCIe card. If you dont want to use Power Up Scheduling from the Windows Shut down state, you can skip the power switch circuit connections, in other words, you can skip Power Up Connections in steps 3 through 6. You can still use scheduled recording from Standby mode or powered on state. 7. Insert VideoMate Vista E600F PCIe card in an open PCI slot. Please read the following notes and proceed to install the software. Note For best performance, the VideoMate Vista E600F PCIe card should not share its IRQ. Motherboard support for PCI 2.2 or above in order to have 3.3V standby power. ATX powers switch cable, which is a pair of twisted wires with a twowire connector, as shown to the right. You can use VideoMate Vista E600F PCIe card without using Power Up Scheduling. VideoMate Vista E600F PCIe card provides the remote controlled power off shutdown and Vista E600F features the remote power on from system shutdown mode for greater convenience. Pressing the power button of the remote control, it will start your computer. If the computer does not start up, you may have to install the TV cards driver correctly and set a schedule first in order to use this feature. Note You must correctly install the Power Up connectors to use Remote Power On function. There will be a two seconds delay before the PC powers on. You may need to enter your user name and password. 13 Remote Power Off There are two situations for this operation. If you dont want to shutdown the computer, please press the SLEEP button again. You can return to last channel, autoscan available channels, select channel to watch from channel list, select video source, adjust audio volume, or snapshot TV screen. 16 Gadget Settings Settings of gadget have four parts included Capture device to select capture devices.